Template Version: C420190115 - RW

FORM A: BID (See B8)

1.	Contract Little	Raleigh Street	age – Raleigh Street, Jamisoi	n Avenue and
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidd	er as it appears on Invoice (if differen	t from above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(0)	The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business un	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact p of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms u ascribed to them in the	sed in the Contract shall has General Conditions.	ave the meanings
5.	Offer		rs to perform the Work in acid Price, in Canadian funds, so.	

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.


13. Signatures

е	Bidder or the Bidder's authorized official or officials have signed this
	day of , 20
	Signature of Bidder or Bidder's Authorized Official or Officials
	(Print here name and official capacity of individual whose signature appears above
	(Print here name and official capacity of individual whose signature appears above

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	CITY FUNDED WORK	1 150.1	<u> </u>			
Α	JAMISON AVENUE (HENDERSON HIGHWARECONSTRUCTION	Y TO ROCH ST	REET) -	<u>ASPHALT</u>		
	EARTH AND BASE WORKS					
4.1	Excavation	CW 3110-R19	m³	3400		
A.2	Hydro-Excavation	E12	hours	4		
4.3	Sub-Grade Compaction	CW 3110-R19	m²	7850		
٩.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1450		
A.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	460		
A.6	Grading of Boulevards	CW 3110-R19	m²	2600		
4.7	Separation Geotextile Fabric	CW 3130-R4	m²	6000		
A.8	Supply and Install Geogrid	CW 3135-R1	m²	700		
	ROADWORKS - RENEWALS					
A.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	5300		
A.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	220		
A.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	1600		
A.12	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m²	2000		
A.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	13		
A.14	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
A.15	Detectable Warning Surface Tiles	CW 3326-R3	each	11		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
16	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	150		
.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	1200		
ii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	30		
iii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	100		
iv)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	45		
.18	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
а	Type IA		tonne	700		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	70		
	JOINT AND CRACK SEALING					
19	Reflective Crack Maintenance	CW 3250-R7	m	200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	3		
ii)	SD-025, 1800 mm deep		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	13		
ii)	SD-025		each	1		
A.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
а	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	75		
A.23	Sewer Inspection (following repair)	CW 2145-R4				
i)	300 mm, Concrete Combined Sewer		m	200		
ii)	375 mm, Concrete Combined Sewer		m	110		
A.24	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm Connecting Pipe					
а	Connecting to 300 mm Concrete Combined Sewer		each	14		
b	Connecting to 375 mm Concrete Combined Sewer		each	4		
A.25	Removal of Existing Catch Basins	CW 2130-R12	each	4		
A.26	Removal of Existing Catch Pit	CW 2130-R12	each	16		
A.27	Installation of Subdrains	CW 3120-R4	m	216		
	ADJUSTMENTS					
A.28	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
A.29	Adjustment of Valve Boxes	CW 3210-R8	each	5		
A.30	Adjustment of Curb Stop Boxes	CW 3210-R8	each	7		
	LANDSCAPING					
A.31	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	450		
ii)	width > or = 600 mm		m²	2300		
Α	JAMISON AVENUE (HENDERSON HIGHWARECONSTRUCTION	Y TO ROCH ST	REET) -	<u>ASPHALT</u>	Subtotal:	



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	RALEIGH STREET (CHALMERS AVENUE T RECONSTRUCTION		ENUE - A			
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19	m³	4600		
B.2	Hydro-Excavation	E12	hours	40		
B.3	Sub-Grade Compaction	CW 3110-R19	m²	8300		
B.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	3050		
B.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	600		
B.6	Grading of Boulevards	CW 3110-R19	m²	8500		
B.7	Ditch Grading	CW 3110-R19	m²	600		
B.8	Separation Geotextile Fabric	CW 3130-R4	m²	8700		
B.9	Supply and Install Geogrid	CW 3135-R1	m²	1000		
	ROADWORKS - RENEWALS					
B.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	7400		
ii)	Asphalt Pavement		m²	50		
B.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	50		
B.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	10		
b	5 sq.m. to 20 sq.m.		m²	10		
C	Greater than 20 sq.m.		m²	160		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.13	Concrete Curb Renewal	CW 3240-R10				
i)	Curb and Gutter (180 mm reveal ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200				
a	Less than 3 m		m	5		
b	3 m to 30 m		m	20		
3.14	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
	ROADWORKS - NEW CONSTRUCTION					
3.15	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	200		
3.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	1500		
ii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	110		
iii)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-202B	m	110		
iv)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	60		
3.17	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	700		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	90		
3.18	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	775		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
3.19	Reflective Crack Maintenance	CW 3250-R7	m	300		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.20	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	10		
ii)	Field Inlet, 1800 mm deep		each	2		
3.21	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	200		
b)	Trenchless Installation, Class 2 Type B Bedding, Class 2 Backfill		m	30		
3.22	Sewer Inspection (following repair)	CW 2145-R4				
i)	600 mm, Concrete Land Drainage Sewer		m	134		
3.23	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm PVC Connecting Pipe					
a)	Connecting to 600 mm Concrete Land Drainage Sewer		each	5		
b)	Connecting to 2900 mm Concrete Storm Relief Sewer		each	3		
3.24	Removal of Existing Catch Basins	CW 2130-R12	each	5		
3.25	Installation of Subdrains	CW 3120-R4	m	126		
	ADJUSTMENTS					
3.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	10		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.27	Lifter Rings (AP-010)	CW 3210-R8				
:\	00			-		
i)	38 mm		each	5		
ii)	51 mm		each	5		
iii)	64 mm		each	3		
,						
iv)	76 mm		each	3		
B.28	Adjustment of Valve Boxes	CW 3210-R8	each	16		
	LANDSCAPING					
B.29	Seeding	CW 3520-R7	m²	9100		
	MISCELLANEOUS					
B.30	Grouted Stone Riprap	CW 3615-R4	m³	15		
B.31	Removal of Signals Signage Base	E13	each	1		
B.32	Removal of Signals Handholes	E13	each	1		
Ь	RALEIGH STREET (CHALMERS AVENUE T	O MUNROE AV	ENUE - A	ASPHALT	Cubtotali	
В	RECONSTRUCTION				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	RALEIGH STREET (SPRINGFIELD ROAD T RECONSTRUCTION		VENUE			
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19	m³	2700		
C.2	Hydro-Excavation	E12	hours	8		
C.3	Sub-Grade Compaction	CW 3110-R19	m²	3600		
C.4	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1300		
ii)	100 mm		tonne	3300		
C.5	Supplying and Placing Base Course Material	CW 3110-R19	m³	300		
C.6	Ditch Grading	CW 3110-R19	m²	8400		
C.7	Ditch Excavation	CW 3110-R19	m³	130		
C.8	Separation Geotextile Fabric	CW 3130-R4	m²	3700		
C.9	Supply and Install Geogrid	CW 3135-R1	m²	660		
	ROADWORKS - RENEWALS					
C.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	50		
ii)	Asphalt Pavement		m²	3770		
C.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	20		
C.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b	5 sq.m. to 20 sq.m.		m²	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	Greater than 20 sq.m.		m²	20		
C.13	Pavement Repair Fabric	E9	m²	190		
C.14	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
	ROADWORKS - NEW CONSTRUCTION					
C.15	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	80		
C.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	30		
il)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	40		
ill)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	10		
c.17	100 mm Concrete Sidewalk	CW 3325-R5	m²	80		
.18	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	350		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
:.19	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	400		
	JOINT AND CRACK SEALING					
0.20	Reflective Crack Maintenance	CW 3250-R7	m	200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
2.21	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep, with Standard Frame and Solid Cover		each	2		
il)	Field Inlet, 1800 mm deep		each	1		
:.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	30		
.23	Removal of Existing Catch Basins	CW 2130-R12	each	1		
0.24	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(300 mm, 2.0 mm wall thickness, Galvanized)		m	40		
il)	(400 mm, 2.0 mm wall thickness,		m	5		
2.25	Galvanized) Corrugated Steel Pipe Culvert - Install	CW 3610-R5				
i)	(300 mm, 2.0 mm wall thickness,		m	40		
il)	Galvanized) (400 mm, 2.0 mm wall thickness, Galvanized		m	5		
2.26	Connections to Existing Culverts	CW 3610-R5	each	1		
5.27	Removal of Existing Culverts	CW 3610-R5	m	10		
0.28	Disposal of Existing Culverts	CW 3610-R5	m	10		
C.29	Culvert End Markers	CW 3610-R5	each	2		
	ADJUSTMENTS					
2.30	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
.31	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
il)	51 mm		each	1		
	LANDSCAPING					
.32	Seeding	CW 3520-R7	m²	8400		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	MISCELLANEOUS					
C.33	Grouted Stone Riprap	CW 3615-R4	m³	5		
C.34	Removal of Signals Bases	E13	each	8		
C.35	Removal of Signals Handholes	E13	each	2		
С	RALEIGH STREET (SPRINGFIELD ROAD TO DONWOOD AVENUE - ASPHALT RECONSTRUCTION			Subtotal:		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	WATER AND WASTE WORK					
D.1 i)	Raleigh Street (Springfield Road to Donwood Drive) - Asphalt Pavement Reconstruction Supply and Install Manhole SD-010, 1200 mm base	CW 2130-R12	vert. m	2		
D	WATER AND WASTE WORK				Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
PART 2	MANITOBA HYDRO/PROVING	REF.	INDED	QUANTITY WORK			
FANIZ							
(See B9.5, B17.2.1, B18.5, D2, D13.2-3, D14.4)							
E	JAMISON AVENUE (HENDERSON HIGHWA LIGHT INSTALLATION	<u>Y TO ROCH S</u>	TREET) -	<u>STREET</u>			
E.1	Removal of 15' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E11	each	14			
E.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E11	lin.m	675			
E.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E11	each	14			
E.4	Installation of one (1) 10' ground rod at every 3rd street light, at the end of every street light circuit and anywhere else as shown on the design drawings. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E11	each	6			
E.5	Install lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E11	each	2			
E.6	Installation and connection of externally- mounted relay and PEC per Standards CD 315-12 and CD 315-13.	E11	each	2			
E.7	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E11	set	14			
E.8	Splicing #4 Al C/N or 2 single conductor street light cables.	E11	set	14			
E.9	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary Overhead Feed.	E11	per span	14			
E.10	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary Overhead Feed.	E11	per span	14			
E	JAMISON AVENUE (HENDERSON HIGHWA LIGHT INSTALLATION	Y TO ROCH S	TREET) -	<u>STREET</u>	Subtotal:		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
	SUMMARY							
PART 1	PART 1 CITY FUNDED WORK							
Α	JAMISON AVENUE (HENDERSON HIGHWARECONSTRUCTION	Y TO ROCH ST	REET) -	ASPHALT	Subtotal:			
В	RALEIGH STREET (CHALMERS AVENUE TO RECONSTRUCTION	O MUNROE AV	ENUE - A	ASPHALT	Subtotal:			
С	C RALEIGH STREET (SPRINGFIELD ROAD TO DONWOOD AVENUE - ASPHALT RECONSTRUCTION							
D	WATER AND WASTE WORK				Subtotal:			
				(total	orice) PART 1			
PART 2 MANITOBA HYDRO/PROVINCIALLY FUNDED WORK (See B9.5, B17.2.1, B18.5, D2, D13.2-3, D14.4)								
E	JAMISON AVENUE (HENDERSON HIGHWA LIGHT INSTALLATION	Y TO ROCH ST	REET) - :	STREET	Subtotal:			
(total price) PART 2								
TOTAL BI	D PRICE (GST extra)		(i	n figures)				

(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pe described, for the payment of which sum	I and firmly bound unto THE CITY OF WINNIPEG (here ercent (10%) of the Total Bid Price set out in the Bid here the Principal and Surety bind themselves, their heirs, exemintly and severally, firmly by these presents.	einafter
WHEREAS the Principal has submitted a E	3id to the Obligee for	
TENDER NO. 34-2019		
2019 Local Streets Package – Raleigh Stre	eet, Jamison Avenue and Raleigh Street	
as more fully set out in the Tender.		
if said Bid is accepted and the Principal, in	bligation is such that if the Bid of the Principal is not accept accordance with the terms of the Bid, enters into a Contrared performance and labour and material payment bond I remain in full force and effect.	act with
IN WITNESS WHEREOF the Principal and	d Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per: (S	Seal)
	(Name of Surety)	

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid become bound as Surety for the	Bond hereby undertakes and agree Principal,	es with THE CITY OF WINNIPEG to
(Name of Bidder)		of
(Place)		
the Bidder to you on	, 20 for	
TENDER NO. 34-2019		
2019 LOCAL STREETS PACKAO The Surety agrees to issue for th	GE – RALEIGH STREET, JAMISON . e Principal:	AVENUE AND RALEIGH STREET
proper performance of the W 2. a Labour and Material Paym for the payment for all lab	amount equal to fifty percent (50%) of the control	er; and percent (50%) of the Contract Price
	by you, such Performance Bond and continue in full force and effect until pecified in the Tender.	
	ent to Bond shall become null and voithin sixty (60) Calendar Days followir	
nothing of any kind or matter wh	ED AND AGREED that the Surety satsoever that will not discharge the Fety, any law or usage relating to the	Principal shall operate as a discharge
SIGNED AND SEALED this	day of	, 20
	(Name of Surety)	
	By:(Attorney-in-Fact)	(Seal)