Template Version: C420190115 - RW

FORM A: BID (See B8)

1.	Contract Title	2019 Local Streets – Ed Various Other Locations	ison Avenue, Sanford Fleming	Road, and
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidde	er as it appears on Invoice (if different	from above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(Channa ana)	The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business und	der the above name.	
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact pe of the Bid.	erson to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms u ascribed to them in the C	sed in the Contract shall ha General Conditions.	ive the meanings
5.	Offer		rs to perform the Work in action of the contract of the contra	

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

Template Version: C420190115 - RW

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	SANFORD FLEMING ROAD REHABILITAT DEVONSHIRE DRIVE		ROAD TO			
	EARTH AND BASE WORKS					
\.1	Grading of Boulevards	CW 3110-R19	m²	1500		
	ROADWORKS - RENEWALS					
ı.2	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	150		
1.3	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	675		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
٨.4	Partial Depth Planing of Existing Joints	E16	m²	100		
. .5	Asphalt Patching of Partial Depth Joints	E16	m²	100		
6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	825		
7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1250		
A.8	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	12		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	40		
b)	5 sq.m. to 20 sq.m.		m²	260		
c)	Greater than 20 sq.m.		m²	100		

ITEM	ı	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.10		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
۸.11		Concrete Curb Removal	CW 3240-R10				
i)		Lip Curb	SD-202C	m	350		
A.12		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	OB 20071	m	10		
	b)	3 m to 30 m		m	25		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	360		
iii)		Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	10		
iv)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	65		
v)		Splash Strip, (Separate, 600 mm width)	SD-223B	m	5		
A.13		Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)		Main Line Paving					
	a)	Type IA		tonne	900		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	175		
A.14		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	6500		
ii)		50 - 100 mm Depth (Asphalt)		m²	1130		
iii)		1 - 50 mm Depth (Concrete)		m²	50		
A.15		Pavement Repair Fabric	E15	m²	215		
A.16		Detectable Warning Surface Tiles	CW 3326-R3	each	22		
		ROADWORKS - NEW CONSTRUCTION					
A.17		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)		Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	385		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	100 mm Concrete Sidewalk	CW 3325-R5	m²	70		
	JOINT AND CRACK SEALING					
A.19	Reflective Crack Maintenance	CW 3250-R7	m	1600		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
4.20	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	5		
v)	AP-012 - Barrier Curb and Gutter Cover		each	5		
	ADJUSTMENTS					
A.21	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	8		
١.22	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	2		
iii)	64 mm		each	2		
iv)	76 mm		each	2		
A.23	Adjustment of Valve Boxes	CW 3210-R8	each	2		
۸.24	Valve Box Extensions	CW 3210-R8	each	2		
۹.25	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
A.26	Curb Stop Extensions	CW 3210-R8	each	2		
١.27	Replacing Existing Flat Top Reducer	CW 2110-R11	each	6		
	LANDSCAPING					

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	250		
ii)	width $>$ or $= 600 \text{ mm}$		m²	1250		
Α	SANFORD FLEMING ROAD REHABILITATI	<u>ON - PLESSIS F</u>	<u>ROAD TO</u>	<u>)</u>		
A	DEVONSHIRE DRIVE				Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	TALBOT AVENUE REHABILITATION - FOS	TER STREET TO	O GREY	<u>STREET</u>		
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R19	m²	500		
	ROADWORKS - RENEWALS					
B.2	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	175		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	20		
3.3	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	130		
3.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	200		
3.5	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	6		
3.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	15		
b)	5 sq.m. to 20 sq.m.		m²	135		
c)	Greater than 20 sq.m.		m²	50		
3.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
a)	Less than 3 m	SD-206A	m	10		
b)	3 m to 30 m		m	20		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	50		
B.8	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	310		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	25		
B.9	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	620		
ii)	50 - 100 mm Depth (Asphalt)		m²	930		
B.10	Pavement Repair Fabric	E15	m²	50		
B.11	Detectable Warning Surface Tiles	CW 3326-R3	each	16		
	ROADWORKS - NEW CONSTRUCTION					
B.12	100 mm Concrete Sidewalk	CW 3325-R5	m²	20		
	JOINT AND CRACK SEALING					
B.13	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.14	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	6		
B.15	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	1		
B.16	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.17	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	1		
v)	AP-012 - Barrier Curb and Gutter Cover		each	1		
3.18	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
3.19	Connecting to Existing Sewer	CW 2130-R12				
i)	Connecting to 1550 x 1200 mm Concrete Combined Sewer		each	1		
	ADJUSTMENTS					
3.20	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
3.21	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	2		
3.22	Adjustment of Valve Boxes	CW 3210-R8	each	2		
3.23	Valve Box Extensions	CW 3210-R8	each	2		
3.24	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
3.25	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
3.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
ii)	width > or = 600 mm		m²	500		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	TALBOT AVENUE REHABILITATION - FOS	TER STREET T	O GREY	<u>STREET</u>	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	EDISON AVENUE REHABILITATION - DEGI STREET	RAFF PLACE TO	ROTH	ESAY		
	EARTH AND BASE WORKS					
C.1	Grading of Boulevards	CW 3110-R19	m²	2500		
	ROADWORKS - RENEWALS					
C.2	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)	0W 0200 NO	m²	250		
•,	(removed)					
C.3	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	400		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
C.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	400		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	650		
C.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	85		
C.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	75		
b)	5 sq.m. to 20 sq.m.		m²	300		
c)	Greater than 20 sq.m.		m²	1175		
C.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.9	Concrete Curb Renewal	CW 3240-R10				

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	3D-200A	m	50		
	b)	3 m to 30 m		m	700		
	c)	Greater than 30 m		m	350		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	110		
iii)		Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	10		
iv)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	65		
C.10		Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)		Main Line Paving					
.,		Type IA		tonne	1500		
ii)	u,	Tie-ins and Approaches			1000		
,	a)	Type IA		tonne	200		
C.11		Planing of Pavement	CW 3450-R6		200		
i)		1 - 50 mm Depth (Asphalt)		m²	2450		
ii)		50 - 100 mm Depth (Asphalt)		m²	6000		
, C.12		Pavement Repair Fabric	E15	m²	150		
C.13		Detectable Warning Surface Tiles	CW 3326-R3	each	22		
0.10		Soloolasio Training Gariago Tilos	011 0020 He	odon			
		ROADWORKS - NEW CONSTRUCTION					
C.14		100 mm Concrete Sidewalk	CW 3325-R5	m²	30		
		JOINT AND CRACK SEALING					
C.15		Reflective Crack Maintenance	CW 3250-R7	m	2550		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.16		Catch Basin	CW 2130-R12				
i)		SD-025B, 1800 mm deep, with Barrier Curb and Gutter Inlet Frame, Box and Cover (AP- 008 & AP-009), 150 mm Restrictor		each	3		
C.17		Sewer Service	CW 2130-R12				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	35		
C.18	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	10		
v)	AP-012 - Barrier Curb and Gutter Cover		each	10		
C.19	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1		
C.20	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	8		
C.21	Connecting to Existing Sewer	CW 2130-R12				
a)	Connecting to 300 mm Concrete Combined Sewer		each	1		
b)	Connecting to 375 mm Concrete Combined Sewer		each	5		
c)	Connecting to 525 mm Concrete Combined Sewer		each	1		
C.22	Removal of Existing Catch Basins	CW 2130-R12	each	3		
	ADJUSTMENTS					
C.23	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
C.24	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	6		
ii)	51 mm		each	7		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iii)	64 mm		each	2		
C.25	Adjustment of Valve Boxes	CW 3210-R8	each	4		
C.26	Valve Box Extensions	CW 3210-R8	each	2		
C.27	Adjustment of Curb Stop Boxes	CW 3210-R8	each	4		
C.28	Replacing Existing Flat Top Reducer	CW 2110-R11	each	10		
	LANDSCAPING					
C.29	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	2000		
ii)	width > or = 600 mm		m²	500		
С	EDISON AVENUE REHABILITATION - DEGI	RAFF PLACE TO	O ROTH	<u>ESAY</u>	Subtotal:	
	STREET	10. 43/53/15 TO	<i>K</i>		- Cubician	
D	<u>DAY STREET REHABILITATION - MCMEAN</u>	I <u>S AVENUE TO</u>	<u>KILDAR.</u> I	<u>E AVENUE</u>		
	EARTH AND BASE WORKS					
D.1	Grading of Boulevards	CW 3110-R19	m²	2500		
	ROADWORKS - RENEWALS					
D.2	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	715		
D.3	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	300		
,	200 mm consists r avement (rype 2)		***	000		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	20		
D.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	450		
D.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	675		
1	l	I	1	l l		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
0.6		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
;	a)	Less than 5 sq.m.		m²	25		
I	b)	5 sq.m. to 20 sq.m.		m²	625		
	c)	Greater than 20 sq.m.		m²	200		
0.7		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
8.0		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
;	a)	Less than 3 m	3D-200A	m	25		
ļ	b)	3 m to 30 m		m	125		
	c)	Greater than 30 m		m	775		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	250		
iii)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	150		
0.9		Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)		Main Line Paving					
;	a)	Type IA		tonne	975		
ii)		Tie-ins and Approaches					
;	a)	Type IA		tonne	225		
0.10		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	1500		
ii)		50 - 100 mm Depth (Asphalt)		m²	4500		
D.11		Pavement Repair Fabric	E15	m²	150		
0.12		Detectable Warning Surface Tiles	CW 3326-R3	each	56		
		JOINT AND CRACK SEALING					
0.13		Reflective Crack Maintenance	CW 3250-R7	m	1800		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.14	Catch Pit	CW 2130-R12				
i)	SD-023		each	5		
D.15	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	15		
D.16	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	2		
v)	AP-012 - Barrier Curb and Gutter Cover		each	2		
D.17	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	5		
	ADJUSTMENTS					
D.18	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
D.19	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	3		
ii)	51 mm		each	2		
D.20	Adjustment of Valve Boxes	CW 3210-R8	each	6		
D.21	Valve Box Extensions	CW 3210-R8	each	2		
D.22	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
D.23	Curb Stop Extensions	CW 3210-R8	each	3		
	LANDSCAPING					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.24	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	2300		
D	DAY STREET REHABILITATION - MCMEAN	IS AVENUE TO	KILDAR	E AVENUE	Subtotal:	
E	DAY STREET BICYCLE PATH - MCMEANS	AVENUE TO KI	LDARE	A <i>VENUE</i>		
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19	m³	500		
E.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	675		
E.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	150		
E.4	Grading of Boulevards	CW 3110-R19	m²	2000		
E.5	Separation Geotextile Fabric	CW 3130-R4	m²	1700		
	ROADWORKS - RENEWALS					
E.6	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	50		
	ROADWORKS - NEW CONSTRUCTION					
E.7	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	300		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	50		
	JOINT AND CRACK SEALING					
E.8	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.9	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	3		
E.10	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	9		
E.11	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	2		
E.12	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		m	3		
E.13	Connecting to Existing Sewer	CW 2130-R12				
a)	Connecting to 750 mm Concrete Land Drainage Sewer		each	1		
b)	Connecting to 900 mm Concrete Land Drainage Sewer		each	1		
c)	Connecting to 1050 mm Concrete Land Drainage Sewer		each	1		
	ADJUSTMENTS					
E.14	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
E.15	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
	LANDSCAPING					
E.16	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	1800		

The City of Winnipeg Tender No. 35-2019 Template Version: C420190115-RW

FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	DAY STREET BICYCLE PATH - MCMEANS	AVENUE TO KI	LDARE /	AVENUE	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	SANFORD FLEMING ROAD REHABILITATION DEVONSHIRE DRIVE	Subtotal:				
В	TALBOT AVENUE REHABILITATION - FOST	Subtotal:				
С	EDISON AVENUE REHABILITATION - DEGR STREET	AFF PLACE T	O ROTHI	<u>ESAY</u>	Subtotal:	
D	DAY STREET REHABILITATION - MCMEAN	S AVENUE TO	KILDAR	E AVENUE	Subtotal:	
E	DAY STREET BICYCLE PATH - MCMEANS AVENUE TO KILDARE AVENUE					
TOTAL BI	ID PRICE (GST extra)		(i	n figures)		

(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten pe described, for the payment of which sum to	and firmly bound unto THE CITY OF WINNIPE rcent (10%) of the Total Bid Price set out in the the Principal and Surety bind themselves, their he intly and severally, firmly by these presents.	Bid hereinafter
WHEREAS the Principal has submitted a E	Bid to the Obligee for	
TENDER NO. 35-2019		
2019 Local Streets - Edison Avenue, Sanf	ord Fleming Road, and Various Other Locations	
as more fully set out in the Tender.		
if said Bid is accepted and the Principal, in	bligation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a red performance and labour and material paymed remain in full force and effect.	a Contract with
IN WITNESS WHEREOF the Principal and	I Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	(Cool)
(Witness as to Principal if no seal)	Per:	_ (Seal) _
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

	e Surety on the attached Bid Bond hereby ucome bound as Surety for the Principal,	indertakes and	d agrees with T	HE CITY OF WINN	NIPEG to
(Na	me of Bidder)				of
(Pla	ace)				
the	Bidder to you on	, 20	for		
TE	NDER NO. 35-2019				
LC	19 LOCAL STREETS – EDISON AVENUE, SA CATIONS e Surety agrees to issue for the Principal:	ANFORD FLE	MING ROAD, AI	ND VARIOUS OTHI	ER
	a Performance Bond in an amount equal to proper performance of the Work shown and a Labour and Material Payment Bond in an for the payment for all labour, service ar performance of the Work shown and describ	described in the amount equated material us	ne Tender; and I to fifty percent sed or reasonal	(50%) of the Contr	act Price
(th	our Principal's Bid is accepted by you, such Pee Bonds) to be maintained and continue in fulle Bonds shall be in the form specified in the T	force and effe			
	s a condition that this Agreement to Bond sha t required from our Principal within sixty (60) C				oove are
no or	ID IT IS HEREBY DECLARED AND AGRECTHING of any kind or matter whatsoever that we release of liability of the Surety, any law or twithstanding.	II not discharg	ge the Principal:	shall operate as a c	discharge
SIG	GNED AND SEALED this day	of		, 20	
		(Name of Surety))		
		By:(Attorney-in	n-Fact)		(Seal)