



CRAWLSPACE PLAN
SCALE: 1:100

GENERAL NOTES:

- BIDDERS MUST EXAMINE THE SITE & EXISTING CONDITIONS AFFECTING THE PROJECT. EXAMINE THE COMPLETE SET OF CONTRACT DOCUMENTS TO ENSURE THAT THE WORK CAN BE CARRIED OUT WITHOUT SIGNIFICANT CHANGES TO THE INTENT OF THE DOCUMENTS. NO FUTURE ALLOWANCE WILL BE MADE FOR CHANGES UNLESS THE ENGINEER HAS BEEN NOTIFIED IN WRITING OF ANY DISCREPANCIES OR INTERFERENCES, PRIOR TO THE CLOSE OF TENDERS. NO ALLOWANCE WILL BE MADE FOR ITEMS THAT SHOULD HAVE BEEN NOTED DURING A PRE-TENDER SITE INSPECTION.
- THE LOCATION, ROUTING & ELEVATION OF ALL NEW AND EXISTING SERVICES & UTILITIES AS SHOWN ON THE DRAWINGS ARE TO BE CONSIDERED AS APPROXIMATIONS ONLY. VERIFY EXACT LOCATIONS, ROUTINGS & ELEVATIONS OF ALL SERVICES PRIOR TO COMMENCING WORK, & ASSUME RESPONSIBILITY FOR LAYING OUT ALL WORK. THE CONTRACTOR SHALL RETAIN RESPONSIBILITY FOR ANY DAMAGE TO EXISTING SERVICES & UTILITIES.
- MECHANICAL CONTRACTOR SHALL VERIFY EXACT LOCATIONS, CONNECTIONS, SIZES, INVERTS, ETC. PRIOR TO TENDER CLOSE AND COMMENCEMENT OF WORK.
- FOR SANITARY PIPE 100MMØ (4"Ø) AND UP, THE PIPE IS TO SLOPE 1% UNLESS OTHERWISE NOTED. FOR SANITARY PIPE LESS THAN 100MMØ (4"Ø) THE PIPE SHALL SLOPE @ 2%. IF LOW FLOW TOILETS (LESS THAN 6L/FLUSH) ARE INSTALLED WITHIN THIS FACILITY, ALL PIPING CARRYING SANITARY WASTE FROM A TOILET TO THE BUILDING CLEAN OUT & DISCHARGE LOCATION SHALL SLOPE AT A MINIMUM 2%.
- MECHANICAL CONTRACTOR TO ENSURE THAT CLEANOUTS ARE ACCESSIBLE.
- MECHANICAL CONTRACTOR SHALL REFER TO ARCHITECTURAL, STRUCTURAL, ELECTRICAL DRAWINGS, EQUIPMENT SUPPLIER SHOP DRAWINGS, ETC. FOR EXACT LOCATIONS OF ALL FIXTURES, EQUIPMENT, ETC.
- ALL PLUMBING INSTALLATIONS, ETC. SHALL BE PERFORMED IN ACCORDANCE WITH ALL CODES, REGULATIONS & AUTHORITIES HAVING JURISDICTION.

DRAWING NOTES:

- NATURAL GAS LINE DOWN FROM GAS METER AT GRADE.
- MAIN SAN PIPE TO SITE WASTE WATER SEWER SERVICE LINE. REFER TO SITE PLAN & CIVIL FOR CONTINUATION.
- 75Ø SAN PIPE DROP FROM WC-2 AT MAIN FLOOR WASHROOM.
- 75Ø SAN PIPE DROP FROM WC-1 AT MAIN FLOOR WASHROOM.
- 38Ø SAN PIPE DROP FROM LAV-1 AT MAIN FLOOR WASHROOM.
- 75Ø SAN PIPE DROP FROM ED-1 AT MAIN FLOOR WASHROOM.
- 50Ø SAN PIPE DROP FROM SK-2 AT MAIN FLOOR JANITOR ROOM.
- 38Ø SAN PIPE DROP FROM SH-1 AT MAIN FLOOR STAFF UTR.
- 38Ø SAN PIPE DROP FROM MAIN FLOOR LAV-1 AT WASHROOM & LAV-2 AT STAFF UTR.
- 100Ø SAN PIPE DROP FROM ED-2 AT MAIN FLOOR MECHANICAL ROOM & JANITOR ROOM.
- NATURAL GAS LINE UP TO MECHANICAL ROOM TO SERVE BOILERS B-1 & B-2.
- 50Ø SAN PIPE DROP FROM DF-1 AT MAIN FLOOR DRINKING FOUNTAIN AREA.
- INCOMING MAIN DCW. REFER TO SITE PLAN FOR CONTINUATION. INCOMING MAIN DCW FROM SITE WATER MAIN SERVICE LINE. REFER TO SITE PLAN & CIVIL FOR CONTINUATION.
- INCOMING MAIN DCW UP TO WATER METER AT MAIN FLOOR MECHANICAL ROOM.
- PLUMBING VENT PIPE UP TO MAINFLOOR.
- 38Ø SAN PIPE DROP FROM LAV-1 AT MAIN FLOOR WASHROOM & SK-1 AT STAFF ROOM.
- WEEPING TILE SUMP PUMP CONTROL PANEL AND LOCAL ALARM TO BE INSTALLED IN MAIN FLOOR MECHANICAL ROOM 1:07.
- WEEPING TILE SUMP PUMP DISCHARGE UP TO DISCHARGE ONTO SPLASH PAD @ GRADE SUPPLIED BY OTHERS.
- CONDENSATE DRAIN LINE DOWN FROM MAIN FLOOR.
- CONDENSATE DRAIN LINE TO DROP DOWN TO INDIRECTLY DRAIN TO WEEPING TILE PIT APPROXIMATELY AS SHOWN.
- NATURAL GAS LINE UP TO MAIN FLOOR TO SERVE FIRE PLACE.

TOWER PROJECT NO.: 181335
TOWER ENGINEERING GROUP
 UNIT 1-1140 WAVERLEY ST. WINNIPEG, MB R3T 0P4
 TEL: (204) 925-1150 FAX: (204) 925-1155
 EMAIL: towereng@towereng.ca WEB: www.towereng.ca
 • WINNIPEG • CALGARY

These design documents are prepared solely for the use by the party with whom the design professional has entered into a contract and there are no representations or warranties made by the design professional to any party, with whom the design professional has not entered into a contract. Any use of the drawings, data or electronic data without the expressed written permission of Tower Engineering Inc. is strictly prohibited. The designer is responsible to verify all dimensions with conditions on the site and report discrepancies to Tower Engineering for adjustment. All joints to be reworked.

1	July 08, 2019	Issued For Construction	JAC
No.	Date	Issue / Revision	By
Drawn By: JChimko			
Printing Date: July 16, 2019			

LM Architectural Group
 500-136 Market Ave
 Winnipeg, Manitoba
 Canada R3B 0P4
 t: (204) 942.0681
 f: (204) 943.8676
 www.lm-architects.com

APEGM
 Certificate of Authorization
Tower Engineering Group
 No. 4156 Expiry: April 30, 2020

CHIMKO
 Member
 23356
 PROFESSIONAL ENGINEER

Drawings and specifications, as instruments of service are the property of the architects, the copyright in the same being reserved to them. No reproduction may be made without the permission of the architects, and when made, must bear their names. All prints to be returned.

The contractor is to verify dimensions and data noted herein with conditions on the site and is held responsible for reporting any discrepancy to the architects for adjustment.

Bill and Helen Norrie Library
 Project No.: 2017-082
 Tender No.: 542-2019
 Address: 15 Poseidon Bay, Winnipeg, MB.

Winnipeg

PLUMBING LAYOUT - CRAWLSPACE

Comm. No.: 1847
 Sheet: **M1.0**