

00 LDS	UNDERGROUND STRUCTURES SUPV. U/G STRUCTURES DATE LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES OBTAINED FROM THE INDIVIDUAL UTILITIES	B.M. ELEV.			DESIGNED BY	PMW		ENGINEER'S SEAL	
50 WWS						DRAWN BY	PMW		ORIGINAL STAMPED BY
×						CHECKED BY RTP		DILLON	Radia S.B. COOK
						APPROVED BY	BC	CONSULTING	COOK 2019/05/14
						HOR. SCALE	1:250	RELEASED FOR CONSTRUCTION	CONSULTANT PROJECT
OPOSED	LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.	0 NO.	ISSUED FOR TENDER REVISIONS	19/05/14 DATE	BC BY	VERTICAL DATE	1:10 2019/05/14	DATE	18-8858

232.5 232.0 232.0	222 E	1.	ALL WORK AND MATERIALS TO BE IN ACCORDAN LATEST REVISION OF THE CITY OF WINNIPEG ST CONSTRUCTION SPECIFICATIONS.
	232.5	2.	ALL ROADWAY DIMENSIONS ARE TO BACK OF CU
		3.	ISOLATE MISCELLANEOUS ITEMS IN NEW CONCE WORKS AS PER SD-228C.
		4.	LEGAL PLAN AND UNDERGROUND INFORMATION CITY OF WINNIPEG LBIS. CONTRACTOR TO VERIF UNDERGROUNDS IN THE FIELD.
	232.0	5.	CONTRACTOR TO TAKE PRECAUTIONARY STEPS DAMAGE FROM CONSTRUCTION ACTIVITIES TO T WITHIN THE LIMITS OF CONSTRUCTION.
		6.	LOCATION OF EXISTING SERVICES TO BE CONFIL THE FIELD BY THE CONTRACTOR.
		7.	CB LEADS TO BE INSTALLED AT MIN. 1.0% SLOPE DIRECTED BY CONTRACT ADMINISTRATOR.
		8.	LIMITS OF CURB AND SIDEWALK RENEWAL TO BE FINALIZED IN THE FIELD BY THE CONTRACT ADMINISTRATOR.
		9.	LIMITS OF BOULEVARD GRADING TO BE FINALIZE FIELD BY THE CONTRACT ADMINISTRATOR.
		10.	ADJUST ALL WATER VALVES, MANHOLES, CATCH AND CATCH PITS TO GRADE.
	232.5	11.	PAVEMENT REPAIRS SHOWN ARE ONLY REPRES APPROXIMATION OF TENDERED QUANTITIES.
	232.0	12.	ALL PRIVATE WALKWAYS TO BE ADJUSTED TO N SIDEWALK OR TOP OF CURB ELEVATION, AS REC
		13.	MODIFIED BARRIER CURB TO BE CONSTRUCTED INTERSECTION RADII AND BACK LANE RADII.
		14.	LAMP STANDARDS, HYDRO POLES AND ANCHOR REQUIRE TEMPORARY SUPPORT, REMOVAL OR REPLACEMENT, TO BE DONE SO AT THE EXPENS CONTRACTOR, AS NECESSARY.

CONC	CONCRETE ROADWAY
ASP	ASPHALT ROADWAY
ASP OVLY	ASPHALT OVERLAY ROADWAY
GRAN	GRANULAR ROADWAY
PVS	PAVING STONE/BRICK
CSW	CONCRETE SIDEWALK
ASW	ASPHALT SIDEWALK
SSW	GRANULAR SIDEWALK
ΓYΡ	TYPICAL
ΞX	EXISTING
ЛН	MANHOLE
VV	WATER VALVE
EL	ELEVATION
СВ	CATCH BASIN
CP	CATCH PIT
CI	CURB INLET
CL	CONTROL LINE