

NORTH/WEST DITCH

SOUTH/EAST DITCH

LEGEND-PROFILE

PROPOSEI

HYDRO

M.T.S.

GAS

LEGEND-PLAN

100 GAS

EXISTING

-

EXISTING

100 GAS

PROPOSED

SURVEY BAR

CURB RAMP

DETECTABLE TILE

LEGEND-PLAN

#

PROPOSED EXISTING

CONSTRUCTION NOTES:

- 1. ALL WORK AND MATERIALS TO BE IN ACCORDANCE WITH LATEST REVISION OF THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS.
- 2. ALL DIMENSIONS ARE TO BACK OF CURB.
- 3. ISOLATE MISCELLANEOUS ITEMS IN NEW CONCRETE WORKS AS PER SD-228C.
- 4. LEGAL PLAN AND UNDERGROUND INFORMATION FROM CITY OF WINNIPEG LBIS. CONTRACTOR TO VERIFY ALL UNDERGROUNDS IN THE FIELD.
- 5. CONTRACTOR TO TAKE PRECAUTIONARY STEPS TO AVOID DAMAGE FROM CONSTRUCTION ACTIVITIES TO TREES WITHIN THE LIMITS OF CONSTRUCTION.
- 6. LOCATION OF EXISTING SERVICES TO BE CONFIRMED IN THE FIELD BY THE CONTRACTOR.
- 7. CB LEADS TO BE INSTALLED AT MIN. 1.0% SLOPE OR AS DIRECTED BY CONTRACT ADMINISTRATOR.
- 8. LIMITS OF CURB AND SIDEWALK RENEWAL TO BE FINALIZED IN THE FIELD BY THE CONTRACT ADMINISTRATOR.
- 9. LIMITS OF BOULEVARD GRADING TO BE FINALIZED IN THE FIELD BY THE CONTRACT ADMINISTRATOR.
- 10. ADJUST ALL WATER VALVES, MANHOLES, CATCH BASINS
- AND CATCH PITS TO GRADE. 11. PAVEMENT REPAIRS SHOWN ARE ONLY REPRESENTATIVE
- 12. ALL PRIVATE WALKWAYS TO BE ADJUSTED TO NEW SIDEWALK OR TOP OF CURB ELEVATION, AS REQUIRED.

APPROXIMATION OF TENDERED QUANTITIES.

- 13. MODIFIED BARRIER CURB TO BE CONSTRUCTED AT ALL INTERSECTION RADII AND BACK LANE RADII.
- 14. LAMP STANDARDS, HYDRO POLES AND ANCHORS THAT REQUIRE TEMPORARY SUPPORT, REMOVAL OR REPLACEMENT, TO BE DONE SO AT THE EXPENSE OF THE CONTRACTOR, AS NECESSARY.
- 15. CONTRACTOR TO CONFIRM LOCATION AND LIMITS OF SEWER REPAIRS BY PERFORMING VIDEO INSPECTION AND REVIEWING WITH THE CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION.
- 16. HAND OR SOFT DIG METHODS REQUIRED OVER GAS UTILITIES AT INTERVALS DETERMINED BY M.B. HYDRO
- 17. NO WORKS, INCLUDING CONCRETE CUTTING OR BREAKING TO BE UNDERTAKEN NEAR GAS LINES UNTIL DEPTH OF COVER IS DETERMINED AND A MANITOBA HYDRO SAFETY WATCH REPRESENTATIVE IS ON SITE.
- 18. NO VIBRATORY COMPACTIN PERMITTED WITHIN 1M OF GAS MAINS.
- 19. CONTRACTOR TO FOLLOW ALL MANITOBA HYDRO REGULATIONS FOR WORK AROUND GAS LINES.

ABBREVIATIONS:

CONC	CONCRETE ROADWAY
ASP	ASPHALT ROADWAY
ASP OVLY	ASPHALT OVERLAY ROADWA
GRAN	GRANULAR ROADWAY
PVS	PAVING STONE/BRICK
CSW	CONCRETE SIDEWALK
ASW	ASPHALT SIDEWALK
GSW	GRANULAR SIDEWALK
TYP	TYPICAL
EX	EXISTING
MH	MANHOLE
WV	WATER VALVE
EL	ELEVATION
CB	CATCH BASIN
CP	CATCH PIT
CI	CURB INLET
CL	CONTROL LINE

METRIC

WHOLE NUMBERS INDICATE MILLIMETRES DECIMALIZED NUMBERS INDICATE METRES

WARNING

IF POWER EQUIPMENT OR EXPLOSIVES ARE TO BE USED FOR EXCAVATION ON THIS PROJECT THE CONTRACTOR MUST:

- 1. NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION.
- 2. TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS SEE PROVINCIAL REGULATION 210/72 FOR DETAILS.
- 3. OBTAIN EXCAVATION PERMITS PRIOR TO

THE CITY OF WINNIPEG

PUBLIC WORKS DEPARTMENT

CONSTRUCTION.		

OUEOVED.		STAMPED BY S.B.	vviimpeg
CHECKED BY RTP	DILLON	で COOK 2019/05/14	2019 LOCAL STREETS RENEWAL
APPROVED BY BC	CONSULTING		TRAVERSE AVENUE, HAMEL AVE STREET, AND VARIOUS OTHER L
		PROFESSIONAL	0111221,71112 171111000 0111211 2

CONSULTANT PROJECT NUMBER

18-8858

RELEASED FOR

CONSTRUCTION

1:250

1:10

2019/05/14

HOR. SCALE

VERTICAL

19/05/14 BC

DATE

0 ISSUED FOR TENDER

IO. REVISIONS

AL PROGRAM /ENUE, FLYNN LOCATIONS

20

CITY DRAWING NUMBER

TRAYNOR BAY - PLAN-PROFILE (STA. 1+195 TO END)

CONSULTANT DRAWING NUMBER