# FORM A: BID/PROPOSAL

(See "Bid/Proposal" clause in Tender/RFP)

1.	Contract Title			
2.	Bidder/Proponent			
		Name of Bidder/Proponen		
		Usual Business Name of E above)	idder/ Proponent as it appears on Invoice	e (if different from
		Street		
		City	Province	Postal Code
		Email Address of Bidder/P	roponent	
	<i>,</i>	Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number	(if applicable)	
		The Bidder/Proponer	ıt is:	
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business	under the above name.	
3.	Contact Person		nt hereby authorizes the following Proponent for purposes of the Bio	
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions		used in the Contract Documer them in the General Condition	

- 5. Offer The Bidder/Proponent hereby offers to perform the Work in accordance with the Contract for the price bid, in Canadian funds, set out in the Bid/Proposal.
- 6. Bid Security Where Bid Security is required, the Bidder/Proponent provides bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) in accordance with the Bid Security clause in the Tender document and agrees that it shall be held by the City in accordance with the Contract.
- 7. Execution of Contract Documents If required pursuant to C4, the Bidder/Proponent agrees to execute and return the Contract Documents no later than seven (7) Calendar Days after receipt of the Contract Documents, in the manner specified in C4.
- 8. Commencement of the Work The Bidder/Proponent agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.
- 9. Contract By submitting a Bid/Proposal in response to this Tender/RFP, the Bidder/Proponent certifies that it has read, understands, and agrees to the terms and conditions of this Tender/RFP and that the Tender/RFP, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany the Tender/Proposal.
- 10. Addenda The Bidder/Proponent certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

		No	Dated _	
			-	
			-	
			-	
			-	
			-	
11.	Time			eptance, binding and irrevocable for a () Calendar eadline.
12.	Indigenous Self- Declaration			ers/Proponents identify if their business more Indigenous persons of Canada.
		YES, 51% or more	e Indigenou	s ownership
		NO, it is not		
		<del></del>		

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures The Bidder/Proponent or the Bidder's/Proponent's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_ .

Signature of Bidder/ Proponent or Bidder's/Proponent's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 1	CITY FUNDED WORK					
А	RECONSTRUCTION: FORT STREET FROM	BROADWAY T	O GRAH	IAM AVENUE		
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R20	m³	4800		
A.2	Sub-Grade Compaction	CW 3110-R20	m²	8200		
A.3	Supplying and Placing Sub-base Material	CW 3110-R20				
i)	50 mm Granular A Limestone		tonne	3250		
ii)	100 mm Granular A Limestone		tonne	6000		
A.4	Supplying and Placing Base Course Material	CW 3110-R20				
i)	Base Course Material - Granular A Limestone		M3	850		
A.5	Grading of Boulevards	CW 3110-R20	m²	25		
A.6	Removal of Existing Concrete Bases	CW 3110-R20				
i)	600 mm Diameter or Less		each	3		
A.7	Geotextile Fabric	CW 3130-R5				
i)	Separation Fabric		m²	8200		
A.8	Supply and Install Geogrid	CW 3135-R2				
i)	Class A Geogrid		m²	8200		
	ROADWORKS - REMOVALS/RENEWALS					
A9	Pavement Removal	CW 3110-R20				
i)	Concrete Pavement		m²	7900		
ii)	Asphalt Pavement		m²	50		
A.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
4.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	165		
A.12	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk (includes paving stones)	E25	m²	2500		
A.13	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk with Block Outs	E41	m²	2650		
A.14	Paving Stones for Indicator Surface	CW 3330-R5/ E27				
a)	210 mm x 210 mm x 60 mm Charcoal Holland Paving Stones		m²	360		
A.15	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m²	10		
b)	5 sq.m. to 20 sq.m.		m²	20		
A.16	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	20		
A.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	100		
ii)	50 - 100 mm Depth (Asphalt)		m²	20		
A.18	Pavement Repair Fabric	E12	m²	20		
A.19	Detectable Warning Surface Tiles	CW 3326-R3	each	20		
	ROADWORK - NEW CONSTRUCTION					
A.20	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Construction of 250 mm Concrete Pavement	REF.	m²	QUANTITY 1650		
	(Plain-Dowelled)					
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	3550		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	400		
A.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 250 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		M2	350		
ii)	Construction of 250 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	350		
iii)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	760		
iv)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		M²	760		
v)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		M2	65		
vi)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		M2	65		
A.22	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	690		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	130		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	30		
iv)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	200		
A.23	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	1700		
A.24	Interlocking Paving Stones	CW 3330-R5	m²	70		
A.25	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Tie-ins and Approaches					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Туре IA	NEF.	tonne	50		
	JOINT AND CRACK SEALING					
۹.26	Reflective Crack Maintenance	CW 3250-R7	m	50		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
4.27	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	17		
ii)	SD-025, 1800 mm deep		each	2		
A.28	Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
A.29	Installation of Curb Inlet Box, Frame and Cover	SD-221, SD- 222	each	1		
A.30	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	105		
A.31	Drainage Connection Pipe	CW 2130-R12	m	10		
A.32	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	15		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	15		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	1		
v)	AP-012 - Barrier Curb and Gutter Cover		each	1		
A.33	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Connecting to 300 mm (CS) Sewer		each	14		
A.34	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	3		
4.35	Abandoning Existing Catch Basins	CW 2130-R12	each	11		
A.36	Removal of Existing Catch Basins	CW 2130-R12	each	15		
4.37	Removal of Existing Catch Pit	CW 2130-R12	each	9		
4.38	Catch Basin Cleaning	CW 2140-R4	each	1		
4.39	Installation of Subdrains	CW 3120-R4	m	400		
4.40	Watermain and Water Service Insulation	E15	m²	2300		
A.41	Catch Basin Flow Restrictors	CW 2130-R12/ E16	each	16		
4.42	Abandoning Existing Sewer Services under Existing or Future Pavement	CW 2130-R12	each	12		
A.43	Catchpit and Catchbasin Insulation	CW 2130-R12/ E14	each	18		
	ADJUSTMENTS					
4.44	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	15		
4.45	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.5		
A.46	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	15		
iii)	76 mm		each	3		
4.47	Adjustment of Valve Boxes	CW 3210-R8	each	8		
4.48	Valve Box Extensions	CW 3210-R8	each	14		
A.49	Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.50	Curb Stop Extensions	CW 3210-R8	each	1		
A.51	Adjustment of Traffic Signal Service Box Frames	CW 3210-R8	each	1		
	LANDSCAPING					
A.52	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	20		
	MISCELLANEOUS					
A.53	Tree Removal	E24	each	1		
A.54	Tree Vaults	E28	m²	32		
A.55	Pick Up and Install Tree Grates	E28	each	2		
A.56	Supply and Install Tree Grate Frames	E28	each	2		
A.57	Long Term Maintenance	E33				
i)	General Maintenance of Plant Material		years	2		
A.58	Supply and Install Tree Vault Covers	E28	each	12		
A.59	Pick Up and Install Tree Guard	E28	each	2		
A.60	Supply and Install Planting Medium	E29	m <sup>3</sup>	20		
A.61	Plant Material	E32				
i)	Brandon Elm		each	2		
A.62	Hydro Excavation	E13	hours	100		
A.63	Removal and Installation of Utility Frame and Cover	E18	each	1		
A.64	Installation of Utility Riser Rings	E18	each	6		
A.65	Green Bike Lane Treatment	E19	m²	50		
A.66	Supply and Install Bicycle Rack	E30	each	4		

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A	RECONSTRUCTION: FORT STREET FROM					
					Subtotal:	

UNIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	RECONSTRUCTION: HARGRAVE STREET	FROM PORTAG	GE AVEN			
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R20	m³	1490		
B.2	Sub-Grade Compaction	CW 3110-R20	m²	2450		
B.3	Supplying and Placing Sub-base Material	CW 3110-R20				
i)	50 mm Granular A Limestone		tonne	975		
ii)	100 mm Granular A Limestone		tonne	1775		
B.4	Supplying and Placing Base Course Material	CW 3110-R20				
i)	Base Course Material - Granular A Limestone		m³	260		
B.5	Grading of Boulevards	CW 3110-R20	m²	25		
B.6	Removal of Existing Concrete Bases	CW 3110-R20				
i)	600 mm Diameter or Less		each	3		
B.7	Geotextile Fabric	CW 3130-R5				
i)	Separation Fabric		m²	2450		
B.8	Supply and Install Geogrid	CW 3135-R2				
i)	Class A Geogrid		m²	2450		
B.9	ROADWORKS - REMOVALS/RENEWALS Pavement Removal	CW 3110-R20				
i)	Concrete Pavement		m²	2400		
ii)	Asphalt Pavement		m²	50		
B.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	20		
B.11	Drilled Tie Bars	CW 3230-R8				
B.11	Drilled Tie Bars	CW 3230-R8				

UNIT F	RIC	CES	(SEE B9)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)		20 M Deformed Tie Bar		each	25		
B.12		Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)		100 mm Sidewalk (including paving stones)	E25	m²	950		
B.13		Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)		100 mm Sidewalk with Block Outs	E41	m²	950		
B.14		Paving Stone Indicator Surfaces	CW 3330-R5/ E27				
	a)	210 mm x 210 mm x 60 mm Charcoal Holland Paving Stones	EZI	m²	110		
B.15		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	20		
B.16		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	10		
	b)	3 m to 30 m		m	20		
B.17		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	65		
ii)		50 - 100 mm Depth (Asphalt)		m²	20		
B.18		Pavement Repair Fabric	E12	m²	20		
B.19		Detectable Warning Surface Tiles	CW 3326-R3	each	12		
		ROADWORKS - NEW CONSTRUCTION					
B.20		Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)		Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	1670		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	100		
iii)	Construction of 200 mm Concrete Pavement (Plain-Dowelled)		m²	300		
iv)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	150		
v)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	20		
B.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		M2	350		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	350		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	70		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	70		
B.22	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	210		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	30		
iii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	30		
iv)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	90		
B.23	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	600		
B.24	Interlocking Paving Stones	CW 3330-R5	m²	75		
B.25	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Tie-ins and Approaches					
	a) Type IA		tonne	50		

UNIT PRI		00-0		100000		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
B.26	Reflective Crack Maintenance	CW 3250-R7	m	40		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.27	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	5		
B.28	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
B.29	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	35		
B.30	Drainage Connection Pipe	CW 2130-R12	m	10		
B.31	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	5		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	1		
v)	AP-012 - Barrier Curb and Gutter Cover		each	1		
B.32	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 300 mm (CS) Sewer		each	5		
B.33	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	250 mm		each	1		
B.34	Abandoning Existing Catch Basins	CW 2130-R12	each	1		
B.35	Removal of Existing Catch Basins	CW 2130-R12	each	4		
B.36	Removal of Existing Catch Pit	CW 2130-R12	each	1		
B.37	Catch Basin Cleaning	CW 2140-R4	each	1		
B.38	Installation of Subdrains	CW 3120-R4	m	120		
B.39	Watermain and Water Service Insulation	E15	m²	680		
B.40	Catch Basin Flow Restrictors	CW 2130-R12/	each	5		
B.41	Abandoning Existing Sewer Services under Existing or Future Pavement	E16 CW 2130-R12	each	4		
B.42	Catchpit and Catchbasin Insulation	CW 2130-R12/ E14	each	3		
	ADJUSTMENTS					
B.43	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	5		
B.44	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
ii)	Brick Risers		vert. m	0.5		
B.45	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	5		
iii)	76 mm		each	1		
B.46	Adjustment of Valve Boxes	CW 3210-R8	each	2		
B.47	Valve Box Extensions	CW 3210-R8	each	8		
B.48	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
B.49	Curb Stop Extensions	CW 3210-R8	each	1		

JNIT PRI ITEM		0050				
I I EIVI	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
5.50	Adjustment of Traffic Signal Service Box Frames	CW 3210-R8	each	3		
	LANDSCAPING					
8.51	Sodding	CW 3510-R9				
i)	width > or = $600 \text{ mm}$		m²	25		
	MISCELLANEOUS					
8.52	Tree Removal	E24	each	3		
8.53	Tree Vaults	E28	m²	32		
8.54	Pick Up and Install Tree Grates	E28	each	2		
8.55	Supply and Install Tree Grate Frames	E28	each	2		
8.56	Long Term Maintenance	E33				
i)	General Maintenance of Plant Material		years	2		
8.57	Supply and Install Tree Vault Covers	E28	each	12		
8.58	Pick Up and Install Tree Guard	E28	each	2		
.59	Supply and Install Planting Medium	E29	m³	20		
6.60	Plant Material	E32				
i)	Hackberry		each	2		
8.61	Hydro Excavation	E13	hours	100		
8.62	Removal and Installation of Utility Frame and Cover	E18	each	4		
6.63	Installation of Utility Riser Rings	E18	each	2		
В	RECONSTRUCTION: HARGRAVE STREET	FROM PORTA	 GE AVEN	IUE TO	Subtotal:	

UNIT PRI	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	THIN BITUMINOUS OVERLAY - PORTAGE / TO FORT STREET	AVENUE FROM	MEMOR	NAL STREET		
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R20	m³	55		
C.2	Supplying and Placing Base Course Material	CW 3110-R20				
i)	Base Course Material - Granular A Limestone		m³	115		
	ROADWORKS - REMOVALS/RENEWALS					
C.3	Partial Slab Patches	CW 3230-R8				
i)	250 mm Concrete Pavement (Type A)		m²	50		
ii)	250 mm Concrete Pavement (Type B)		m²	20		
iii)	250 mm Concrete Pavement (Type D)		m²	500		
C.4	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	250 mm Concrete Pavement (Type A)		m²	25		
ii)	250 mm Concrete Pavement (Type B)		m²	10		
iii)	250 mm Concrete Pavement (Type C)		m²	10		
iv)	250 mm Concrete Pavement (Type D)		m²	250		
C.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	250 mm Concrete Pavement (Type B)		m²	5		
ii)	250 mm Concrete Pavement (Type D)		m²	240		
C.6	Asphalt Patching of Partial Depth Joints	E20	m²	300		
C.7	Drilled Dowels	CW 3230-R8				

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)		19.1 mm Diameter		each	85		
C.8		Drilled Tie Bars	CW 3230-R8				
i)		20 M Deformed Tie Bar		each	460		
C.9		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	45		
	b)	5 sq.m. to 20 sq.m.		m²	325		
	c)	Greater than 20 sq.m.		m²	530		
C.10		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	65		
	b)	3 m to 30 m		m	120		
	c)	Greater than 30 m		m	50		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	100		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	250		
C.11		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	60		
C.12		Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)		Main Line Paving					
	a)	Туре ІА		tonne	4500		
ii)		Tie-ins and Approaches					
	a)	Туре ІА		tonne	350		
C.13		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	50		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	50 - 100 mm Depth (Asphalt)		M2	50		
C.14	Pavement Repair Fabric	E12	m²	550		
C.15	Detectable Warning Surface Tiles	CW 3326-R3	each	74		
	ROADWORKS - NEW CONSTRUCTION					
C.16	Interlocking Paving Stones	CW 3335-R1	m²	230		
	JOINT AND CRACK SEALING					
C.17	Reflective Crack Maintenance	CW 3250-R7	m	10000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.18	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 2 Backfill		m	7		
C.19	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	4		
C.20	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	20		
V)	AP-012 - Barrier Curb and Gutter Cover		each	20		
C.21	Catch Basin Cleaning	CW 2140-R4	each	20		
	ADJUSTMENTS					

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.22	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	5		
C.23	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	10		
iii)	76 mm		each	5		
C.24	Adjustment of Valve Boxes	CW 3210-R8	each	2		
C.25	Valve Box Extensions	CW 3210-R8	each	23		
C.26	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1		
C.27	Curb Stop Extensions	CW 3210-R8	each	5		
C.28	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	20		
	MISCELLANEOUS					
C.29	Removal and Installation of Utility Frame and Cover	E18	each	9		
C.30	Installation of Utility Riser Rings	E18	each	43		
C.31	Green Bike Lane Treatment	E19	m²	200		
C.32	Installation of Temporary Pedestrian Bus Ramps	E38	each	10		
с	THIN BITUMINOUS OVERLAY - PORTAGE / TO FORT STREET	AVENUE FROM	MEMOR	RIAL STREET	Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	THIN BITUMINOUS OVERLAY - CARLTON S TO ELLICE AVENUE	STREET FROM	PORTAG	<u>SE AVENUE</u>		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R20	m³	20		
D.2	Supplying and Placing Base Course Material	CW 3110-R20				
i)	Base Course Material - Granular A Limestone		m³	30		
	ROADWORKS - REMOVALS/RENEWALS					
D.3	Partial Slab Patches	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	10		
ii)	230 mm Concrete Pavement (Type B)		m²	70		
iii)	230 mm Concrete Pavement (Type D)		m²	70		
D.4	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type B)		m²	35		
ii)	230 mm Concrete Pavement (Type D)		m²	35		
D.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type B)		m²	35		
ii)	230 mm Concrete Pavement (Type D)		m²	35		
D.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
D.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	300		

ITEN		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	*1		REF.		QUANTITY		
D.8		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
	b)	5 sq.m. to 20 sq.m.		m²	70		
	c)	Greater than 20 sq.m.		M²	180		
D.9		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m		m	5		
	b)	3 m to 30 m		m	15		
	c)	Greater than 30 m		m	30		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	55		
D.10		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	20		
D.11		Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)		Main Line Paving					
	a)	Туре ІА		tonne	450		
ii)		Tie-ins and Approaches					
	a)	Туре ІА		tonne	30		
D.12		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	30		
ii)		50 - 100 mm Depth (Asphalt)		m²	20		
D.13		Pavement Repair Fabric	E12	m²	20		
D.14		Detectable Warning Surface Tiles	CW 3326-R3	each	12		

ITEM	ICES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
D.15	Reflective Crack Maintenance	CW 3250-R7	m	1100		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.16	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	3		
v)	AP-012 - Barrier Curb and Gutter Cover		each	3		
D.17	Catch Basin Cleaning	CW 2140-R4	each	4		
	ADJUSTMENTS					
D.18	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
D.19	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	4		
iii)	76 mm		each	1		
D.20	Adjustment of Valve Boxes	CW 3210-R8	each	3		
D.21	Valve Box Extensions	CW 3210-R8	each	3		
D.22	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
D.23	Curb Stop Extensions	CW 3210-R8	each	1		
D.24	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	4		
D.25	Removal and Installation of Utility Frame and Cover	E18	each	1		

	CES	()				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
D.26	Installation of Utility Riser Rings	E18	each	2		
D	THIN BITUMINOUS OVERLAY - CARLTON S TO ELLICE AVENUE	Subtotal:				

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	SEWER REPAIRS: CARLTON STREET, F	ORT STREET, HA	RGRAV	<u>E STREET</u>		
	CARLTON STREET (MH20014246)					
E.1	Remove and Replace Manhole	CW 2130-R12				
i)	SD-010					
a)	1200 mm Diameter Base		vt.m.	3.6		
E.2	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	FORT STREET (MH20014452)					
E.3	Remove and Replace Risers	CW 2130-R12				
i)	SD-010					
a)	750 mm Diameter Risers		vt.m.	0.75		
E.4	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	FORT STREET (MH20014456)					
E.5	Remove and Replace Risers	CW 2130-R12				
i)	SD-010					
a)	750 mm Diameter Risers		vt.m.	1.2		
E.6	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	FORT STREET (MH20014549)					
E.7	Remove and Replace Risers	CW 2130-R12				
i)	SD-010					
a)	750 mm Diameter Risers		vt.m.	0.9		
E.8	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	FORT STREET (MH20014453)					
E.9	Remove Flush Tank and Replace with Manhole	CW 2130-R12				

UNIT PRIC	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	SD-010					
a)	1200 mm Diameter Base		vt.m.	3.0		
E.10	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	FORT STREET (MA20016063)					
E.11	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm Combined Sewer					
a)	Class 3 Backfill		each	2		
E.12	Sewer Inspection ( following repair)	CW 2145-R4				
i)	300 mm Combined Sewer		m	91.9		
E.13	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	150 mm Wastewater Sewer		each	2		
ii)	250 mm Land Drainage Sewer		each	1		
	HARGRAVE STREET (MH70007952)					
E.14	Remove and Replace Manhole	CW 2130-R12				
i)	SD-010					
a)	1200 mm Diameter Base		vt.m.	3.5		
E.15	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	HARGRAVE STREET (MH70007953)					
E.16	Remove and Replace Risers	CW 2130-R12				
i)	SD-010					
a)	750 mm Diameter Risers		vt.m.	1.7		
E.17	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	HARGRAVE STREET (MH20014258)					

JNIT PRIC		<b>a</b>			· · · · ·	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
18	Remove Partial Flush Tank and Replace with	CW 2130-R12				
	Manhole					
i)	SD-010					
a)	1200 mm Diameter Base		vt.m.	2.8		
- 40			h	4		
.19	Manhole Inspection (following repair)	CW 2145-R4	each	1		
	HARGRAVE STREET (MA70021966)					
.20	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	200 mm Combined Sewer					
')						
a)	Class 3 Backfill		each	1		
E.21	Sewer Inspection ( following repair)	CW 2145-R4				
i)	200 mm, Combined Sewer		m	61.4		
-				• • • •		
.22	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	200 mm Wastewater Sewer		each	1		
1)			each	I		
	HARGRAVE STREET (MA70020611)					
.23	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm Combined Sewer					
a)	Class 3 Backfill		each	1		
.24	Sewer Inspection ( following repair)	CW 2145-R4				
i)	300 mm Combined Sewer		m	57.1		
.25	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	150 mm Wastewater Sewer		each	1		
''			Guon	1		
	HARGRAVE STREET (MA20015844)					
.26	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm SRS					
<i>י</i> י						

UNIT PRIC	ES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
a)	Class 3 Backfill		each	1		
E.27	Sewer Inspection ( following repair)	CW 2145-R4				
i)	250 mm, SRS		m	63.8		
1)				00.0		
F 00	Detential Alteration (a Driveta Orginialdan Lina		h			
E.28	Potential Alteration to Private Sprinkler Line	CW 2110-R11	each	1		
Е	SEWER REPAIRS: CARLTON STREET, FO	RT STREET, HA	RGRAV	F STREET	Subtotal:	
				1	Cabiolai.	

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	TRAFFIC SIGNALS INSTALLATIONS		-	<u>.</u>		
	Broadway & Fort					
	INSTALLATIONS					
F.1	Installation of Conduit	CW 3620				
i)	Installation of Conduit in Open Trench -Single	CW 3620	m	5		
ii)	Installation of Conduit in Open Trench - Double	CW 3620	m	20		
iii)	Installation of Conduit by Directional Boring - Single	CW 3620	m	30		
iv)	Installation of Conduit by Directional Boring - Double	CW 3620	m	15		
F.2	Installation of Concrete Bases	CW 3620				
i)	Signal Pole Base - Type OD (Medium Duty – 32 Dia. Bolts)	SD-312A	each	3		
F.3	Installation of Service Boxes	CW 3620				
i)	Service Box – Pre-Cast	SD-322	each	2		
F.4	Installation of Conduit into Existing Utility Manholes and Service Boxes	CW 3620				
i)	Installation of Conduit into Traffic Signal Service Boxes	CW 3620	each	2		
ii)	Installation of Conduit into Existing Concrete Base	CW 3620	each	1		
	REMOVALS					
F.5	Removal of Existing Bases and Service Boxes	CW 3620				
i)	Signal Pole Base, Controller, Terminal Base, Service Box	CW 3620	each	4		
	MISCELLANEOUS					
F.6	Cutovers	CW 3620	each	3		
	Fort & York					
	INSTALLATIONS					
F.7	Installation of Conduit	CW 3620				
i)	Installation of Conduit in Open Trench -Single	CW 3620	m	55		

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Installation of Conduit in Open Trench - Double	CW 3620	m	40		
iii)	Installation of Conduit by Directional Boring - Single	CW 3620	m	65		
iv)	Installation of Conduit by Directional Boring - Double	CW 3620	m	65		
F.8	Installation of Concrete Bases	CW 3620				
i)	Signal Pole Base – Type G (Light Duty – 32 Dia. Bolts)	SD-313	each	2		
ii)	Signal Pole Base - Type OD (Medium Duty – 32 Dia. Bolts)	SD-312A	each	3		
iii)	Controller Base	SD-300	each	1		
iv)	Ground Rods (Electrodes)	CW 3620	each	1		
<del>-</del> .9	Installation of Service Boxes	CW 3620				
i)	Service Box – Pre-Cast	SD-322	each	4		
10	Installation of Conduit into Existing Utility Manholes and Service Boxes	CW 3620				
i)	Installation of Conduit into Traffic Signal Service Boxes	CW 3620	each	4		
	REMOVALS					
F.11	Removal of Existing Bases and Service Boxes	CW 3620				
i)	Signal Pole Base, Controller, Terminal Base, Service Box	CW 3620	each	10		
	MISCELLANEOUS					
F.12	Cutovers	CW 3620	each	2		
	Fort & St. Mary					
	INSTALLATIONS					
F.13	Installation of Conduit	CW 3620				
i)	Installation of Conduit in Open Trench -Single	CW 3620	m	50		
ii)	Installation of Conduit in Open Trench - Double	CW 3620	m	30		
iii)	Installation of Conduit by Directional Boring - Single	CW 3620	m	60		
iv)	Installation of Conduit by Directional Boring - Double	CW 3620	m	60		

UNIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
14	Installation of Concrete Bases	CW 3620				
i)	Signal Pole Base – Type G (Light Duty – 32 Dia. Bolts)	SD-313	each	1		
ii)	Signal Pole Base - Type OD (Medium Duty – 32 Dia. Bolts)	SD-312A	each	4		
iii)	Pedestal Base	SD-302	each	1		
iv)	Controller Base	SD-300	each	1		
v)	Ground Rods (Electrodes)	CW 3620	each	2		
F.15	Installation of Service Boxes	CW 3620				
i)	Service Box – Pre-Cast	SD-322	each	4		
F.16	Installation of Conduit into Existing Utility Manholes and Service Boxes	CW 3620				
i)	Installation of Conduit into Traffic Signal Service Boxes	CW 3620	each	4		
	REMOVALS					
F.17	Removal of Existing Bases and Service Boxes	CW 3620				
i)	Signal Pole Base, Controller, Terminal Base, Service Box	CW 3620	each	8		
	MISCELLANEOUS					
F.18	Cutovers	CW 3620	each	3		
	Ellice & Hargrave					
	INSTALLATIONS					
F.19	Installation of Conduit	CW 3620				
i)	Installation of Conduit in Open Trench -Single	CW 3620	m	25		
ii)	Installation of Conduit in Open Trench - Double	CW 3620	m	25		
iii)	Installation of Conduit by Directional Boring - Single	CW 3620	m	35		

	050	(SEE B9)				
UNIT PRI			<u> </u>			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	Installation of Conduit by Directional Boring - Double	CW 3620	m	35		
F.20	Installation of Concrete Bases	CW 3620				
i)	Signal Pole Base - Type OD (Medium Duty – 32 Dia. Bolts)	SD-312A	each	4		
F.21	Installation of Service Boxes	CW 3620				
i)	Service Box – Pre-Cast	SD-322	each	4		
F.22	Installation of Conduit into Existing Utility Manholes and Service Boxes	CW 3620				
i)	Installation of Conduit into Traffic Signal Service Boxes	CW 3620	each	4		
	REMOVALS					
F.23	Removal of Existing Bases and Service Boxes	CW 3620				
i)	Signal Pole Base, Controller, Terminal Base, Service Box	CW 3620	each	4		
	MISCELLANEOUS					
F.24	Cutovers	CW 3620	each	2		
F	TRAFFIC SIGNALS INSTALLATIONS				Subtotal:	\$-
G	MOBILIZATION /DEMOLIBIZATION					
G.1	Mobilization/Demoblization	E40	L. sum	1		

UNIT PRIC	CES	(011 20)				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
G	MOBILIZATION /DEMOLIBIZATION				Subtotal:	

IIT PRIO TEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ART 2	2 MANITOBA HYDRO/PROVINC (See B9.6, B17.2.1, B18.6, D2.1					
н	STREET LIGHT INSTALLATION - HARGRAV	<u>'E STREET BI</u>	ETWEEN I	ELLICE		
H.1	AVENUE AND PORTAGE AVENUE Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E42.	each	1		
H.2	Removal of 45' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E42.	each	1		
H.3	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E42.	m	115		
H.4	Installation of cable(s) (#4 AL C/N or 1/0 AL Triplex) by boring method.	E42.	m	115		
H.5	Installation of one (1) 10' ground rod at every 3rd street light, at the end of every street light circuit and anywhere else as shown on the design drawings. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E42.	each	2		
H.6	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E42.	each	6		
H.7	Splicing #4 AI C/N or 2 single conductor street light cables.	E42.	each	2		
H.8	Installation of overhead span of #6 duplex between new or existing streetlight poles and connect luminaire to provide temporary Overhead Feed.	E42.	each	1		
H.9	Removal of overhead span of #6 duplex between new or existing streetlight poles to remove temporary Overhead Feed.	E42.	each	4		
H.10	Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E42.	each	6		
Н		'E STREET BI	ETWEEN	ELLICE	Subtotal:	

ITEM	CES DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
I	STREET LIGHT INSTALLATION - FORT STR	EET BETWEI	EN GRAHA	A <u>M AVENUE</u>		
I.1	AND BROADWAY Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E42.	each	8		
I.2	Removal of 45' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances	E42.	each	3		
1.3	Removal of 12 - 35' Galvanized street light davits, arms, luminaires and Install 12- 35' spun aluminum davits, arms and luminaires. 12 galvanized davits to be returned to Hydro.	E42.	each	12		
1.4	Removal of 35' "Trolley" poles, poured in place concrete base, arm and luminaire	E42.	each	7		
I.5	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E42.	m	1000		
I.6	Installation of cable(s) (#4 AL C/N or 1/0 AL Triplex) by boring method.	E42.	m	1000		
I.7	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E42.	each	20		
1.8	Installation of one (1) 10' ground rod at every 3rd street light, at the end of every street light circuit and anywhere else as shown on the design drawings. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E42.	each	8		
I.9	Install lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E42.	each	2		
I.10	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E42.	each	20		
l.11	Splicing 1/0 AL triplex cable or 3 single conductor street light cables.	E42.	each	4		
l.12	Installation of break-away base and reaction plate on base mounted poles up to 35'.	E42.	each	6		
I.13	Installation of overhead span of #6 duplex between new or existing streetlight poles and connect luminaire to provide temporary Overhead Feed.	E42.	each	20		

CES					
DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	REF.		QUANTITY		
Removal of overhead span of #6 duplex between new or existing streetlight poles to remove temporary Overhead Feed.	E42.	each	20		
Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	E42.	each	6		
	REET BETWEEN	I GRAHA	AM AVENUE	Subtotal:	
	DESCRIPTION Removal of overhead span of #6 duplex between new or existing streetlight poles to remove temporary Overhead Feed. Expose underground cable entrance of existing streetlight pole and install new streetlight cable.	DESCRIPTION SPEC. REF.   Removal of overhead span of #6 duplex E42.   between new or existing streetlight poles to remove temporary Overhead Feed. E42.   Expose underground cable entrance of existing streetlight pole and install new streetlight cable. E42.   STREET LIGHT INSTALLATION - FORT STREET BETWEEN	DESCRIPTION   SPEC. REF.   UNIT     Removal of overhead span of #6 duplex between new or existing streetlight poles to remove temporary Overhead Feed.   E42.   each     Expose underground cable entrance of existing streetlight pole and install new streetlight cable.   E42.   each     STREET LIGHT INSTALLATION - FORT STREET BETWEEN GRAHM   STREET BETWEEN GRAHM	DESCRIPTIONSPEC. REF.UNITAPPROX. QUANTITYRemoval of overhead span of #6 duplex between new or existing streetlight poles to remove temporary Overhead Feed.E42.each20Expose underground cable entrance of existing streetlight pole and install new streetlight cable.E42.each6STREET LIGHT INSTALLATION - FORT STREET BETWEEN GRAHAM AVENUE	DESCRIPTIONSPEC. REF.UNITAPPROX. QUANTITYUNIT PRICERemoval of overhead span of #6 duplex between new or existing streetlight poles to remove temporary Overhead Feed.E42.each20Expose underground cable entrance of existing streetlight pole and install new streetlight cable.E42.each6STREET LIGHT INSTALLATION - FORT STREET BETWEEN GRAHAM AVENUESubtotal:

NIT PR	ICES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ART	1 CITY FUNDED WORK					
Α	RECONSTRUCTION: FORT STREET FROM	BROADWAY	O GRAH	IAM AVENUE	Subtotal:	
В	RECONSTRUCTION: HARGRAVE STREET ELLICE AVENUE	FROM PORTA	GE AVEN	IUE TO	Subtotal:	
С	THIN BITUMINOUS OVERLAY - PORTAGE A		Subtotal:			
D	THIN BITUMINOUS OVERLAY - CARLTON S TO ELLICE AVENUE	Subtotal:				
Е	SEWER REPAIRS: CARLTON STREET, FOR	Subtotal:				
F	F TRAFFIC SIGNALS INSTALLATIONS					
G	MOBILIZATION /DEMOLIBIZATION				Subtotal:	
				(total	price) PART 1	
PART	2 MANITOBA HYDRO/PROVING (See B9.6, B17.2.1, B18.6, D2.1) STREET LIGHT INSTALLATION - HARGRAY	1, D12.2-3,	D13.4)			
Н	AVENUE AND PORTAGE AVENUE				Subtotal:	
I	STREET LIGHT INSTALLATION - FORT STR AND BROADWAY	REET BETWEE	N GRAHA	AM AVENUE	Subtotal:	
				(total	price) PART 2	