



Notes:
 .01 Contractor is responsible for the site verification of all dimensions
 .02 Drawings are not to be scaled for estimating purposes
 .03 All areas given are approximate
 .04 Contractor is responsible for site verification of existing roof constructions
 .05 Contractor is responsible for insuring that all scupper downpipes and drain line exit locations are clear of any wall obstructions such as windows, gas lines etc. Sloped insulation layout is to be adjusted accordingly.

Stated scale is when in 11x17 format

A1, B1 & C1 Construction (2020)

- wood deck
- 5/8" DensDeck
- Soprema Sopralene Stick HR 40 VB
- 2% sloped expanded polystyrene min 1" expanded polystyrene saddles
- 2" polyisocyanurate
- 3/8" Securock
- Soprema Sopralene Flam 180
- Soprema Sopralene Flam 250 GR

Approx. Area sq.m.

A1	= 119
B1	= 106
C1	= 28
D1	= 2
Total	= 255

2"-0" x 4' either side of valley

GRAPHIC LEGEND

- Parapet
- Gravel stop
- Gas line
- Control joint
- Expansion joint
- New insulated drain pipe
- Photo vantage point
- Area Label A1
area
no. of stories
- = attic vent X = leak

KEYNOTE LEGEND

- 1 core sample
- 2 chimney
- 3 AC unit
- 4 vent hood
- 5 ventilator
- 6 vent pipe
- 7 roof drain
- 8 skylight
- 9 eavestrough
- 10 firewall
- 11 antenna
- 12 ladder
- 13 stub column
- 14 roof hatch
- 15 scupper
- 16 pitch box
- 17 HVAC unit
- 18 capped curb
- 19 flag pole
- 20 electrical mast
- 21 cooling tower
- 22 splash pad
- 23 splash pan
- 24 downspout/rainwater leader
- 25 back slope
- 26 cant
- 27 increase slope to drain
- 28 cricket
- 29 parapet/wide flashing
- 30 life line anchor

Agassiz Consulting Group Ltd.
 Box 41, Warren, Manitoba R0C 3E0
 Office Phone: (204) 383-5538

Project: **Brookside Cementery Administration Building**
 3001 Notre Dame

Date: **March 6, 2020**

Drawing No. **R-1**

File no: **4022-20** Scale: **1:100**