



## 468-2022 ADDENDUM 2

### PROVISION OF SEPTIC TANK SERVICES – REMOVAL OF WASTE

#### **URGENT**

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID/PROPOSAL**

ISSUED: July 4, 2022  
BY: Remilekun Obadina  
TELEPHONE NO. 204 986-8268

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID/PROPOSAL AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: Add 2021-03-05

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid/Proposal, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid/Proposal may render your Bid/Proposal non-responsive.

#### **PART D – SUPPLEMENTAL CONDITIONS**

Revise: D26 to read: Table A Locations and Contact Information

Page numbering on some forms may be changed as a result.

#### **Section A- Services Within Winnipeg**

Item No.	Site	Tank Size in Litres	Approx. Annual Pump Outs	Contact Details
1	Kildonan Park, 2021 Main Street	1,000	1	Parks Site Foreman – North – Karl Thordarson 204-470-7821
2	Kildonan Park, North Field Washroom	6,000	2	Parks Site Foreman – North - Karl Thordarson 204-470-7821
3	735 Assiniboine Park Dr.	2,500	1	Parks Site Foreman – South – Mike Mudry – 204-470-9923
4	1229 Springfield Rd.	10,000	9	Parks Site Foreman – East – Kristen Tushscherer 204-232-9280
5	Transcona Cemetery	1,000	1	Cemeteries Branch – Brett Shenback – 204-986-4392
6	Brookside Cemetery, 3001 Notre Dame	1,000	2	Cemeteries Branch – Brett Shenback – 204-986-4392
7	Churchill Drive Park Service Building	6,000	1	Parks Site Foreman – North – Karl Thordarson 204-470-7821
8	Crescent Drive Park	6,000	1	Parks Site Foreman – South – Mike Mudry – 204-470-9923
9	1964 St. Mar Rd. (Hentleff Nursery)	6,000	1	Parks – Nursery Site – South – Mike Mudry – 204-470-9923
10	3 Grey St. (insect Control)	250	3	Central Control – 204-986-2321
11	John Blumberg Golf course, 4540 Portage Ave.	6,000	1	Golf Services. – Mike Brownridge – 204-986-5104
12	Grant's Old Mill, Booth & Portage	4,500	4	Parks Site Foreman – North – Karl Thordarson 204-470-7821

13	Kildonan Golf Course, 10 <sup>th</sup> Hole	4,500	6	Golf Services – Site Foreman Mike Brownridge – 204-986-5104
14	659 ½ Wellington Ave.	225	2	Parks Site Foreman – North – Karl Thordarson 204-470-7821
15	St. Vital Park, 236 River Rd.	6,000	1	Parks Site Foreman – East – Kristen Tushscherer 204-232-9280
16	La Barriere Park	6,000	8	Parks Site Foreman – South – Mike Mudry – 204-470-9923
17	Little Mountain Park, Farmer's Road	2,000	6	Parks Site Foreman – North – Karl Thordarson 204-470-7821
18	Little Mountain Park, Farmer's Road	5,800	4	Parks Site Foreman - North
19	Optimist Park	6,000	2	User Group – Real Estate
20	Optimist Park	9,500	2	User Group – Real Estate
21	Harbourview, 1867 Springfield Road	45,000	90	Parks Site Foreman - East Kristen Tushscherer -204-232-9280
22	City Hall and Admin. Building 510 Main Street	Special Pit	1	Central Control 204-986-2321
23	Animal Services, 1057 Logan Avenue	1,000	1	Central Control 204-986-2321
24	1220 Pacific Avenue	5,600	1	Central Control 204-986-2321
25	1227 Pacific Avenue	5,600	1	Central Control 204-986-2321
26	2170 Main Street	7,500	1	Parks Site Foreman – North – Karl Thordarson 204-470-7821
27	545 Watt Street	1,000	1	Central Control 204-986-2321
28	700 Assiniboine Park Drive	6,500	2	WPS Site
29	1539 Waverley Street	1,250	1	Central Control 204-986-2321
30	Wyper Road	2,000	2	WPS Site

## B1.1 Section B – Arenas

Item No.	Site	Tank Size in Litres	Approx. Annual Pump Outs	Contact Details
31	Pioneer, 799 Logan Ave.	3,500	1	Larry Santucci – 204-471-7617
32	Billy Mosienko, 709 Keewatin St.	3,500	1	Larry Santucci – 204-471-7617
33	Sam Southern, 625 Osborne St. S.	3,500	1	Larry Santucci – 204-471-7617
34	Charles A. Barbour, 500 Nathaniel	3,500	2	Larry Santucci – 204-471-7617
35	Civic Centre, 2055 Ness Ave.	3,500	1	Larry Santucci – 204-471-7617
36	Eric Coy, 535 Oakdale St.	3,500	1	Larry Santucci – 204-471-7617

37	Century, 1377 Clarence Ave.	3,500	1	Larry Santucci – 204-471-7617
38	Bertrand, 294 Bertrand St.	3,500	2	Larry Santucci – 204-471-7617
39	Maginot, 910 Maginot St.	3,500	1	Larry Santucci – 204-471-7617
40	River East, 1410 Rothesay Ave.	3,500	1	Larry Santucci – 204-471-7617
41	Terry Sawchuk, 901 Kimberly Ave.	3,500	1	Larry Santucci – 204-471-7617

## Section C – Fire Paramedic

Item No	Site	Tank Size in Litres	Approx. Annual Pump Outs	Contact Details
42	65 Ellen Avenue Stn. #1	450	2	Tony Greco – 204-391-4617
43	65 Ellen Avenue Stn. #1	450	2	Tony Greco – 204-391-4617
44	65 Ellen Avenue Stn. #1	9,100	2	Tony Greco – 204-391-4617
45	65 Ellen Avenue Stn. #1	400	2	Tony Greco – 204-391-4617
46	65 Ellen Avenue Stn. #1	400	2	Tony Greco – 204-391-4617
47	2546 McPhillips Street	450	2 – Central Control	– 204-986-2321
48	2546 McPhillips Street	459	2 – Central Control	– 204-986-2321
49	2546 McPhillips Street	450	2 – Central Control	– 204-986-2321
50	2546 McPhillips Street	450	2 – Central Control	– 204-986-2321
51	2546 McPhillips Street	450	2 – Central Control	– 204-986-2321
52	2546 McPhillips Street	225	2 – Central Control	– 204-986-2321
53	2546 McPhillips Street	2,270	2 – Central Control	– 204-986-2321
54	2546 McPhillips Street	2,270	2 – Central Control	– 204-986-2321
55	1525 Dakota Street – Stn. # 26	1,360	2	Tony Greco – 204-391-4617
56	701 Day Street – Stn. # 26	1,360	2	Tony Greco – 204-391-4617
57	1665 Rothesay Street – Stn. # 24	225	2	Tony Greco – 204-391-4617
58	880 Dalhousie Drive – Stn. # 23	225	2	Tony Greco – 204-391-4617
59	1567 Waverley Street – Stn. # 22	225	2	Tony Greco – 204-391-4617
60	598 St. Mary's Road	500	2 – Central Control	– 204-986-2321
61	2490 Portage Avenue	500	2 – Central Control	– 204-986-2321
62	525 banting Drive – Stn. # 20	450	2	Tony Greco – 204-391-4617

63	320 Whytefold Road – Stn. # 19	225	2	Tony Greco – 204-391-4617
64	5000 Roblin Blvd. – Stn. # 18	2,600	2	Tony Greco – 204-391-4617
65	1501 Church Avenue – Stn. # 17	900	2	Tony Greco – 204-391-4617
66	1001 McGregor Street – Stn. # 16	900	2	Tony Greco – 204-391-4617
67	1083 Autumnwood Drive – Stn. # 15	900	2	Tony Greco – 204-391-4617
68	1057 St Mary's Road – Stn. # 14	1,130	4	Tony Greco – 204-391-4617
69	799 Lilac Street – Stn. # 13	1,130	2	Tony Greco – 204-391-4617
70	1354 Border Street – Stn. # 10	450	2	Tony Greco – 204-391-4617
71	640 Kimberly Avenue – Stn. # 8	1,130	4	Tony Greco – 204-391-4617
72	10 Allan Blye Drive – Stn. # 7	1,130	2	Tony Greco – 204-391-4617
73	603 Redwood Avenue – Stn. # 6	1,130	2	Tony Greco – 204-391-4617
74	845 Sargent Avenue – Stn. # 5	450	2	Tony Greco – 204-391-4617
75	150 Osborne Street – Stn. # 4	270	2	Tony Greco – 204-391-4617
76	337 Des Meurons Street – Stn. # 3	900	2	Tony Greco – 204-391-4617
77	55 Watt Street _ Stn. # 2	900	2	Tony Greco – 204-391-4617
78	1446 Regent Avenue West – Stn. # 21	300	2	Tony Greco – 204-391-4617
79	864 Marion Street – Stn. # 9	Trap needs to be cleaned out	As required	Tony Greco – 204-391-4617
80	27 Sage Creek Blvd. – Stn. # 27	2,600	2	Tony Greco – 204-391-4617
81	524 Osborne Street	1000	2-Central Control	– 204-986-2321
82	726 Furby Street	1,000	2 – Central Control	– 204-986-2321
83	2325 Grant Avenue	500	2 – WPS Site	
84	1780 Taylor Avenue – Stn. #12	2,600	2	Tony Greco – 204-391-4617

## Section D – Deacon Reservoir – Water &amp; waste.

Item No.	Site	Tank Size in Litres	Approx. Annual Pump Outs	Contact Details
88	Deacon Chemical Feed Facility	4,500	40	Fournier Rolly – 204-471-7858
86	Deacon Pump Station	4,500	40	Fournier Rolly – 204-471-7858
87	1777 Brady Road (Admin Building)	500	2	Stephanie Au – 204-986-8119 / 204-619-0062

88	1815 Brady Road	1,500	2	Stephanie Au – 204-986-8119 / 204-619-0062
89	1845 Brady Road	300	2	Stephanie Au – 204-986-8119 / 204-619-0062
90	1901 Brady Road	4,500	2	Stephanie Au – 204-986-8119 / 204-619-0062

## Section E – Police

Item No.	Site	Tank Size in Litres	Approx. Annual Pump Outs	Contact Details
91	260 Hartford Avenue	1,000	1	WPS Access Form is required for Security Clearance for the site visit. Send the name (s) with the Date of Birth to the Contract Administrator as specified in D5.1
92	1350 Pembina Highway	1,000	1	Same as above
93	1750 Dugald Road	1,000	1	Same as above
94	77 Durand Road	1,000	1	Same as above

**Locations with Septic Tanks:**

Section A: Items Number 2, 4,5,6,7,8,9,11,12,13, 15-22, 24.

Section D Items No. 87,88, 89, and 90.

Section E. Item No. 93

**Additional Information (Section D).**

These locations are currently pumped once to twice a month

1777 Brady Rd à Admin Building – 2 tanks

1815 Brady Rd à Commercial Scale – 1 tank

1845 Brady Rd à 4R Depot Scale – 1 tank

1901 Brady Rd à Compost Garage – 1 tank

**Additional Information (Section E).**

The Winnipeg Police Headquarters at 245 Smith St has several pits that need pump-outs on a frequent basis.

Below is a list of the pits and the frequency of pump-outs required for each.

- Level P1 – Car Wash Pit annual pump out at the beginning of October, once a month during winter months November – March Approximately 6-7 times a year  
(note: this pit can be accessed and serviced by a full-size pumper truck)
- Level P2 - North Sewage Pit quarterly pump out and pressure washed – 4 times per year
- Level P2 – West Sewage Pit quarterly pump out and pressure washed – 4 times per year
- Level P2 – North Rainwater Pit – Annual Pump out and pressure wash – once per year
- Level P2 – West rain water Pits X2 – Annual pump out and pressure wash – once per year
- Level P2 – Sand interceptors X4 – Semi-annual pump out and pressure wash – 2 times a year
- Level P2 – West Rainwater Pit – Annual Pump out – Once per year

Level P1 has a height restriction of the S3 overhead door is 13' 6" (162") the height of the level P2 parking area is 6'6" (78 in)

Additional pump-out services may be required throughout the year on all the above-listed pits.