A REF.1 ELEVATION
SCALE: 1:10

SECTION A-A
SCALE: 1:5

SECTION B-B
SCALE: 1:5

SECTION D-D
SCALE: 1:5

SECTION C-C
SCALE: 1:5

DETAIL NOTES:
1. REVIEW SURFACE PREPARATION WITH CONSULTANT PRIOR TO REPAIR MORTAR APPLICATION.
2. UPON CONSULTANT'S APPROVAL TO PROCEED, WETTEN THE REPAIR AREA TO ACHIEVE SATURATED SURFACE DRY CONDITION FOR A PERIOD OF 8 HOURS PRIOR TO REPAIR MORTAR APPLICATION.
3. APPLY REPAIR MORTAR SIKATOP 123 PLUS AS PER MANUFACTURER'S REQUIREMENTS. FINISH THE REPAIR TO MATCH SURROUNDING FINISH. WET CURE REPAIR FOR 24 HOURS.

1 REF.2 CONCRETE REPAIR DETAIL
SCALE: N.T.S.

200 0 200 400 600 800
SCALE: 1:10

NO.	DRAWING NUMBER	REFERENCE DRAWING TITLE
10		
9		
8		
7		
6		
5		
4		
3		
2	1-0162L-S0002-003	SUB-LEVEL 3 FLOOR FRAMING PLAN - NEW
1	1-0162L-B0004-001	ELEVATION - NEW

REFERENCE DRAWINGS

ENGINEERS GEOSCIENTISTS MANITOBA
Certificate of Authorization
KGS Group
No. 245

B.M.
ELEV.

NO.	REVISIONS	DATE (YY/MM/DD)	BY
0	ISSUED FOR CONSTRUCTION	2023 03 23	CMS

KGS GROUP

DESIGNED BY S. SUCHKOV
CHECKED BY CMS
DRAWN BY E. MALANG
APPROVED BY CMS
SCALE: HORIZONTAL AS SHOWN VERTICAL
RELEASED FOR CONSTRUCTION
DATE 2023 03 23
DATE

ENGINEER'S SEAL
PROVINCE OF MANITOBA S. SUCHKOV Member 34686 REGISTERED PROFESSIONAL ENGINEER
2023-03-23

CONSULTANT DRAWING NUMBER 22-0107-004_S10

Winnipeg
THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

METCALFE LIFT PUMPING STATION
2022 UPGRADES
STRUCTURAL
AIR CONDITIONER UNIT CONNECTION DETAIL

CITY DRAWING NUMBER 1-0162L-S0004-004
SHEET 96 OF 109

PLOT DATE: 2023 03 23
BID OPPORTUNITY: 864-2022
FILE PATH: \\k-file-4\p-data\Projects\2022\22-0107-004\Dwg\Struct\