General Notes

- 1. Culvert as per CW 3610
- 2. Rip Rap as per CW 3615
- Sub-Grade, Sub Base & Base
 Coarse Construction as per CW 3110


 Topsoil & Sod as per CW 3510 and CW 3540 Drawing Title:


Drawing No:

CULVERT INSTALLATION SCD-612A UNDER WALKWAY WITH RIP RAP

Minimum Pathway Base as per Detail or -PATHWAY 950-1250 mm Pathway SCD CULVERT END TO BE CUT AT 45degree ANGLE. END CUT MUST BE SMOOTH AND BURR FREE Additional Base Required GROUTED FIELD STONE RIP RAP Depending on Culvert 250-325mm SIZE. Installation Depth on a per Project Basis 75 - 150mm GROUT EDGE 0.5% Min. 300mm HDPE culvert, or size and type as specified BOTTOM OF DITCH COMPACTED BASE COURSE (MIN. 100mm) COMPACTED SUB-GRADE -2-600mm LONG 10M REBAR THROUGH PREDRILLED HOLES SPACED AT 100 O.C. RIP RAP TO BE 100MM ABOVE GROUT

SECTION THROUGH PATH AND CULVERT





DIMENSIONS SHOWN ARE IN MILLIMETRES UNLESS OTHERWISE SPECIFIED

REVISION: 2

DATE: Feb 14, 2022

SCALE: N.T.S. DRAWN BY: GZ

The City of Winnipeg

Planning, Property and Development Department

Planning and Land Use Division

Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

