Drawing Title:

150

Drain Basin

150

Drawing No:

SCD-668



NON-WOVEN GEOTEXTILE.
GEOTEXTILE TO BE WRAPPED AND
PLACED BETWEEN CRUSHED
LIMESTONE AND TOPSOIL/BACKFILL

SLOPE FINAL SOD GRADE AS SPECIFIED ON DRAWINGS

TOPSOIL AND SOD AS PER DRAWINGS

19mm CLEAN CRUSHED LIMESTONE

NYLOPLAST PEROFRATED DRAIN BASIN OR APPROVED EQUAL. DIAMETER AS PER DRAWINGS

INITIAL BACKFILL IN ACCORDANCE WITH CW 2030 AND SD-001

MINIMUM 200mm DIAMETER LEAD TO CATCH BASIN SIZED, SLOPED AND LOCATED AS PER DRAWINGS

BEDDING IN ACCORDANCE WITH CW 2030 AND SD-001

300mm DEPTH SUMP

- SUBGRADE

DIMENSIONS SHOWN ARE IN MILLIMETRES UNLESS OTHERWISE SPECIFIED

REVISION: R1

NVERT HEIGHT AS PER DRAWINGS

DATE: August, 2023

SCALE: N.T.S. DRAWN BY: TB

The City of Winnipeg Planning, Property and Development Department Planning and Land Use Division

Unit 15 - 30 Fort Street, Winnipeg, MB, R3C 4X5

