

2018-3371
2019-02-26

KONK HORNET & WASP KILLER

Kills Wasps, Yellowjackets, and Hornets on Contact

Gives rapid knockdown and kill of Wasps, Yellowjackets, and Hornets Gives rapid contact kill and residual kill of wasps and hornets returning to the treated nest

Reaches nests more than 15 feet above ground

Dielectric Breakdown Voltage: 41.0 KV by ASTM Test Method D-877-87

DOMESTIC

REG. NO. 31112 P.C.P. ACT

READ THE LABEL BEFORE USING

ACTIVE INGREDIENT:

Tetramethrin0.200%

d-phenothrin (Sumithrin™)... 0.125%

NET CONTENTS _____ grams

DANGER



EXTREMELY FLAMMABLE

EXPLOSIVE

KEEP OUT OF REACH OF CHILDREN

READ THE LABEL BEFORE USING

ACUITY HOLDINGS INC

11627-178 Street

Edmonton, Alberta

T5S 1N6

905 669-9876

DIRECTIONS FOR USE
NOT FOR USE INSIDE DWELLINGS

Shake well before using. Hold can upright before spraying. Keep foodstuff and food utensils out of room or covered during application and keep these off treated surfaces until treated area is vacuumed.

For Control of Nests of Wasps, Yellowjackets, and Hornets (in trees or attached to buildings): The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest and spray into the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Any insects returning to the nest after treatment will be killed.

After 48 hours, wear gloves to remove the treated nest. Foliage of desirable plants that were contacted with spray should be hosed off.

PRECAUTIONS: KEEP OUT OF REACH OF CHILDREN AND PETS. Harmful if swallowed or absorbed through skin. Do not breathe vapors or spray mist. Causes moderate eye irritation. May irritate skin. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling. Do not contaminate food, feedstuffs, food containers, utensils, and food preparation areas. This pesticide is toxic to fish and other aquatic invertebrates. Do not apply directly to water. Do not contaminate water during cleaning, or by disposal of wastes.

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 50° may cause bursting. Do not apply this product around equipment due to possibility of shock hazard.

FIRST AID: If swallowed: Call a poison control centre or doctor immediately for treatment advice. Do not induce vomiting unless told to do so by a poison control centre or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person. If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control centre or doctor for treatment advice. If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control centre or doctor for further treatment advice. If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control centre or doctor for treatment advice. Take container, label or product name and PCP Registration Number with you when seeking medical attention.

TOXICOLOGICAL INFORMATION: Contains petroleum distillate. Vomiting may cause aspiration pneumonia. Treat symptomatically.

ENVIRONMENT HAZARDS: Toxic to aquatic organisms. Toxic to bees. Do not spray bees.

DISPOSAL: Do not reuse empty container. When container is empty, press valve to release all remaining pressure. Wrap container in several layers of newspaper and discard in garbage.

STORAGE: Store in a cool dry area away from heat or open flame.