FORM A: BID (See B9)

1.	Contract Title	2017 WATER MAIN REI	NEWALS - CONTRACT NO. 2				
2.	Bidder						
		Name of Bidder					
		Usual Business Name of Bidde	er as it appears on Invoice (if different fro	om above)			
		Street					
		City	Province	Postal Code			
		Email Address of Bidder					
		Facsimile Number					
	(Mailing address if different)	Street or P.O. Box					
		City	Province	Postal Code			
		GST Registration Number (if a	pplicable)				
	(Choose one)	The Bidder is:					
		a sole proprietor					
		a partnership					
		a corporation					
		carrying on business und	der the above name.				
3.	Contact Person	The Bidder hereby auth the Bidder for purposes	orizes the following contact per of the Bid.	son to represent			
		Contact Person	Title				
		Telephone Number	Facsimile Number				
4.	Definitions	All capitalized terms us ascribed to them in the C	sed in the Contract shall hav General Conditions.	e the meanings			

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a

This offer shall be open for acceptance, binding and irrevocable for a period of forty-five (45) Calendar Days following the Submission Deadline.

12. Signatures The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<u>A</u>	Abbotsford Crescent - Greenwood Avenue to Iowa Street					
A. 1 a)	Watermain Renewal 150mm	CW 2110				
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	342.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	45.0		
A. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	3.0		
b)	SD-007		each	1.0		
A. 3	Watermain Valve	CW 2110				
a)	150mm		each	4.0		
A. 4	Fittings	CW 2110				
a)	Tees					
i)	150mm X 150mm X 150mm		each	1.0		
b) .`	Bends (SD-004)			1.0		
i)			each	4.0		
c) i)	Bends (SD-005) 150mm - 45°		each	2.0		
A. 5 i)	Water Services trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	55.0		
A. 6	Corporation Stops	CW 2110				
a)	19mm		each	35.0		
A. 7	Curb Stops	CW 2110				
a)	19mm		each	6.0		
A. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	6.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A. 9	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a) i)	In-line connection - no plug existing 150mm		each	2.0		
	Connecting Existing Copper Water Services to New Watermains	CW 2110		05.0		
a)	19mm		each	35.0		
A. 11 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	41.0		
A. 12 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	35.0		
A. 13 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	15.0		
A. 14 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240	m	25.0		
A. 15	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	3.0		
	Abbotsford Crescent - Greenwood Av	enue to lowa	Street		Subtotal A:	
B	Iowa Street - Abbotsford Crescent to Greenwood Avenue					
B. 1	Watermain Renewal	CW 2110				
a) i)	150mm trenchless installation, Class B sand bedding, Class 3 backfill		m	3.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	38.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	35.0		
B. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	1.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B. 3	Watermain Valve	CW 2110				
a)	200mm		each	2.0		
B. 4	Fittings	CW 2110				
a)	Bends (SD-004)	0002110				
i)	200mm - 45°		each	2.0		
b)	Reducers					
i)	200mm - 150mm		each	1.0		
B. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	200mm		each	1.0		
B. 6	Partial Slab Patches	E6				
a)	150mm reinforced concrete pavement		m²	10.0		
В. 7 а)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	10.0		
		014/00/40				
B. 8 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240	m	5.0		
B. 9	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
	Iowa Street - Abbotsford Crescent to (Greenwood A	venue		Subtotal B:	
<u>C</u>	Alpine Avenue - 58 E of Seagrim Road to 198E of Seagrim Road		-			
C. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	8.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	19.5		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	222.0		

FORM B: PRICES (SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 2	Hydrant Assembly	CW 2110				
a)	SD-006	0	each	1.0		
b)	SD-007		each	2.0		
- /						
C. 3	Watermain Valve	CW 2110				
a)	150mm		each	2.0		
b)	200mm		each	1.0		
c)	250mm		each	3.0		
C. 4	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	2.0		
ii)	250mm x 250mm x 200 mm		each	1.0		
b)	Bends (SD-004)					
i)	200mm - 45°		each	2.0		
ii)	250mm - 45°		each	4.0		
c)	Reducers			4.0		
i)	150mm - 100mm		each	1.0		
C. 5	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	2.0		
ii)	200mm		each	1.0		
iii)	250mm		each	1.0		
C. 6	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	2.0		
C. 7	Partial Slab Patches	E6		45.0		
a)	150mm reinforced concrete pavement		m²	15.0		
C. 8	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	97.0		
C. 9	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)	011 02-10	m	10.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C. 10	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
	Alpine Avenue - 58 E of Seagrim Road	to 198E of S	eagrim	Road	Subtotal C:	
	Edgewater Drive - 74 W of					
_	Sweetwater Bay (W. Leg) to					
<u>D</u>	Sweetwater Bay (E. Leg)					
D. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	112.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	42.0		
D. 2	Hydrant Assembly	CW 2110				
a)	SD-007	0112110	each	1.0		
a)	50-007		each	-		
D. 3	Watermain Valve	CW 2110				
a)	150mm		each	2.0		
,						
D. 4	Fittings	CW 2110				
a)	Tees					
i)	150mm X 150mm X 150mm		each	1.0		
b)	Bends (SD-004)					
i)	150mm - 22 1/2°		each	2.0		
ii)	150mm - 45°		each	2.0		
		014/04/40				
D. 5	Water Services	CW 2110				
a) 	19mm			45.0		
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	15.0		
D. 6	Corporation Stops	CW 2110				
a)	19mm		each	12.0		
D. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	3.0		

FORM B: PRICES (SEE B9)

(----)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D. 8 a)	Connecting Existing Copper Water Services to New Watermains 19mm	CW 2110	each	12.0		
D. 9 a)	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains	CW 2110	each	1.0		
b)	On Water Services		each	12.0		
D. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E6	m²	15.0		
D. 11 a) b)	Concrete Curb Renewal Barrier curb (SD-204) Lip curb & gutter	CW 3240	m m	5.0 15.0		
D. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.5		
	Edgewater Drive - 74 W of Sweetwater Bay (E. Leg)	[.] Bay (W. Leg) to Swe	etwater	Subtotal D:	
E	Parkville Bay - W. Leg at Parkville Drive to E. Leg at Parkville Drive					
E. 1 a)	Watermain Renewal 150mm	CW 2110				
i)			m	358.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	45.0		
b) i)	200mm trenchless installation, Class B sand bedding, Class 3 backfill		m	4.0		
E. 2 a)	Hydrant Assembly SD-007	CW 2110	each	4.0		
E. 3 a)	Watermain Valve 150mm	CW 2110	each	3.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 4	Fittings	CW 2110				
a)	Tees	0				
i)	200mm X 200mm X 150mm		each	1.0		
b)	Bends (SD-004)					
í)	150mm - 45°		each	2.0		
c)	Bends (SD-005)					
í)	150mm - 45°		each	4.0		
E. 5	Water Services	CW 2110				
a)	19mm					
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	40.0		
ii)	trenchless installation, Class B sand bedding, Class 5 backfill		m	12.0		
E. 6	Corporation Stops	CW 2110				
a)	19mm		each	45.0		
E. 7	Curb Stops	CW 2110				
a)	19mm		each	3.0		
E. 8	Curb Stop Boxes	CW 2110				
a)	19mm		each	3.0		
E. 9	Watermain and Water Service	CW 2110				
a)	In a trench (SD - 018)					
í)	· · · · · ·		m	13.4		
E. 10	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	1.0		
b)	Perpendicular connection					
i)	200mm		each	1.0		
E. 11	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	45.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E. 12 a)	Watermain Repair - Up To 3.0 metres Long 200mm	CW 2110				
i)	Class 3 backfill		each	1.0		
E. 13 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	48.0		
E. 14 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	50.0		
E. 15 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	16.0		
E. 16 a) b)	Concrete Curb Renewal Barrier curb (SD-204) Ramp curb	CW 3240	m m	55.0 8.0		
E. 17 E. 17	Construction of Asphaltic Concrete Overlays Type 1A Regrading Existing Interlocking Paving Stone Installations	CW 3410 CW 3330	tonne m²	12.0 80.0		
<u> </u>	Parkville Bay - W. Leg at Parkville Driv				Subtotal E:	
F	Pembina Highway - 241 N of Newdale Avenue to Newdale Avenue					
F. 1 a) i)	Watermain Renewal 150mm trenchless installation, Class B sand bedding, Class 3 backfill	CW 2110	m	16.0		
b) i)	200mm		m	4.0		
c) i)	250mm trenchless installation, Class B sand bedding, Class 3 backfill		m	247.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 2	Hydrant Assembly	CW 2110				
a)	SD-006		each	3.0		
F. 3	New Hydrant Assembly on Existing	CW 2110,				
	Watermain	E10		2.0		
a)	SD-006		each	2.0		
F. 4	Abandonment of Existing Hydrant Assembly	CW 2110, E9	each	2.0		
F. 5	Watermain Valve	CW 2110				
a)	150mm		each	4.0		
b)	250mm		each	2.0		
F. 6	Fittings	CW 2110				
a)	Tees					
i)	200mm X 200mm X 150mm		each	2.0		
ii)	250mm x 250mm x150 mm		each	2.0		
b)	Bends (SD-004)					
i)	150mm - 45°		each	4.0		
c)	Bends (SD-005)					
i)	150mm - 45°		each	4.0		
F. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	4.0		
ii)	250mm		each	2.0		
b)	Perpendicular connection					
i)	200mm		each	2.0		
F. 8	10.9 Kilogram Sacrificial Zinc Anodes	CW 2110				
a)	On Water Services		each	4.0		
F. 9	Partial Slab Patches	E5				
a)	200mm reinforced concrete pavement		m²	18.0		
F. 10 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	20.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F. 11	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)	011 3240	m	15.0		
F. 12	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.0		
	Pembina Highway - 241 N of Newdale	Avenue to Ne	wdale A	Venue	Subtotal F:	
G	Southpark Drive - Backlane W of Pebima Hwy to 175 E of Backlane					
G. 1	Watermain Renewal	CW 2110				
a)	150mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	11.0		
b)	200mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	4.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		m	4.0		
c)	250mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	106.0		
ii)	trenchless installation, Class B sand bedding, Class 3 backfill		m	4.0		
G. 2	Hydrant Assembly	CW 2110				
a)	SD-006	•	each	1.0		
G. 3	Watermain Valve	CW 2110				
a)	150mm		each	3.0		
b)	250mm		each	2.0		
G. 4	Fittings	CW 2110				
a)	Tees					
i)	250mm x 250mm x150 mm		each	3.0		
b)	Bends (SD-004)					
i)	150mm - 45°		each	2.0		
ii)	200mm - 45°		each	2.0		

FORM B: PRICES (SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C)	Bends (SD-005)					
i)	150mm - 45°		each	4.0		
ii)	250mm - 45°		each	4.0		
d)	Reducers					
i)	150mm - 100mm		each	3.0		
ii)	250mm - 200mm		each	1.0		
G. 5	Water Services	CW 2110				
a)	38mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	3.0		
b)	50mm					
i)	trenchless installation, Class B sand bedding, Class 1 backfill		m	6.0		
G. 6	Corporation Stops	CW 2110				
a)	38mm	••••	each	1.0		
b)	50mm		each	2.0		
G. 7	Connecting to Existing Watermains and Large Diameter Water Services	CW 2110				
a)	In-line connection - no plug existing					
i)	150mm		each	3.0		
ii)	200mm		each	1.0		
iii)	250mm		each	1.0		
G. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	38mm		each	1.0		
b)	50mm		each	2.0		
G. 9 a)	10.9 Kilogram Sacrificial Zinc Anodes On Water Services	CW 2110	each	5.0		
G. 10 a)	Partial Slab Patches 150mm reinforced concrete pavement	E5	m²	62.0		
G. 11 a)	Miscellaneous Concrete Slab Renewal Sidewalk (SD-228A)	CW 3235	m²	7.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
G. 12 a)	Concrete Curb Renewal Barrier curb (SD-204)	CW 3240	m	26.0				
G. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	7.6				
	Southpark Drive - Backlane W of Pebima Hwy to 175 E of Backlane Subtotal G:							
н	Vermillion Road - Beaverhill Boulevard to Grover Hills Lane							
H. 1 a)	Watermain Renewal 200mm	CW 2110						
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	252.0				
H. 2 a)	Hydrant Assembly SD-006	CW 2110	each	2.0				
H. 3 a)	Watermain Valve 200mm	CW 2110	each	3.0				
H. 4	Fittings	CW 2110						
a) i) b)	Bends (SD-004) 200mm - 45° Bends (SD-005)		each	2.0				
i)	· · · · · ·		each	2.0				
H. 5 a)	Water Services 19mm	CW 2110						
i)	trenchless installation, Class B sand bedding, Class 3 backfill		m	10.0				
b) i)	38mm trenchless installation, Class B sand bedding, Class 3 backfill		m	4.0				
H. 6	Corporation Stops	CW 2110		40.0				
a) b)	19mm 38mm		each each	13.0 1.0				
b)	John		each					

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H. 7 a)	Connecting to Existing Watermains and Large Diameter Water Services In-line connection - no plug existing	CW 2110				
i)			each	2.0		
H. 8	Connecting Existing Copper Water Services to New Watermains	CW 2110				
a)	19mm		each	13.0		
b)	38mm		each	1.0		
H. 9	10.9 Kilogram Sacrificial Zinc Anodes On Metallic Watermains	CW 2110		2.0		
a)			each	14.0		
b)	On Water Services		each	14.0		
H. 10	Partial Slab Patches 150mm reinforced concrete	E5		12.0		
a)	pavement		m²			
H. 11	Miscellaneous Concrete Slab Renewal	CW 3235				
a)	Sidewalk (SD-228A)		m²	11.0		
H. 12	Concrete Curb Renewal	CW 3240				
a)	Barrier curb (SD-204)		m	14.0		
b)	Ramp curb		m	4.0		
H. 13	Construction of Asphaltic Concrete Overlays Type 1A	CW 3410	tonne	1.6		
	Vermillion Road - Beaverhill Boulevard to Grover Hills Lane Subtotal H:					
I Provisional Items						
I. 1	Cement Stabilized Fill	CW 2030, CW 2160	m ³	10.0		
I. 2	Sodding	CW 3510	m²	50.0		
I. 3	Continuity Bonding	CW 2110	each	25.0		
I. 4	Maintaining Curb Stop Excavations	CW 2110	day	25.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I. 5	Watermain Repair - Up To 3.0 metres Long	CW 2110				
a)	150mm					
i)			each	2.0		
b)	200mm					
i)	Class 3 backfill		each	2.0		
c)	250mm					
i)	Class 3 backfill		each	2.0		
I. 6	Fittings	CW 2110				
a)	Bends (SD-004)					
i)			each	2.0		
ii)			each	2.0		
b)	Bends (SD-005)					
i)			each	6.0		
ii)			each	8.0		
iii)			each	4.0		
c)	Reducers					
i)	150mm - 100mm		each	2.0		
I. 7 a)	Regrading of Existing Sewer Service - Up to 1.5 metres Long 150mm	CW 2110	each	20.0		
I. 8 a)	Regrading of Existing Sewer Service - Longer Than 1.5 metres 150mm	CW 2110	m	20.0		
I. 9	Remove and Replace Existing Catch Basin	CW 2130				
a)	SD-024		each	5.0		
I. 10 I. a) I. b)	Temporary Surface Restoration Street Pavement Sidewalk	E8	m2 m2	25.0 45.0		
I. 11	Supply and Installation of Interlocking Paving Stone	CW 3330	m²	40.0		
I. 12 a)	Sewer Inspection 250mm to 900mm	CW 2145	m	200.0		

(SEE B9)

2017 WATERMAIN RENEWALS - CONTRACT NO. 2

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Provisional Items		-		-	Subtotal F:	
				G	Frand Total:	
TOTAL BID PRICE (GST extra) (in words)		(in figu	res)\$			

Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 157-2017

2017 WATER MAIN RENEWALS - CONTRACT NO. 2

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of ______ , 20_____ .

SIGNED AND SEALED in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)	
Per:	 (Seal)
Per:	
(Name of Surety)	

_____ of

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____, for

BID OPPORTUNITY NO. 157-2017

2017 WATER MAIN RENEWALS - CONTRACT NO. 2

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within forty-five (45) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20____.

(Name of Surety)

_____ (Seal)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

RE: BID SECURITY - BID OPPORTUNITY NO. 157-2017

2017 WATER MAIN RENEWALS - CONTRACT NO. 2

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 8, 2017.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)